

62

SB/115

REF/RAR

.Z9C3752


R

1958 Price List

The Peter Cascio Nursery

2600 Albany Avenue

West Hartford 7, Connecticut



(5)

RECEIVED

1950

1950

1950

1950

1950

1950

1950

1958 PRICE LIST

PRICES QUOTED ARE FOR B&B (balled and burlapped) STOCK EXCEPT
NEWLY HEELED IN MATERIAL MARKED "CI" AND A FEW OTHER ITEMS
MARKED "BR" (bare root)

THE PETER CASCIO NURSERY
2600 ALBANY AVENUE
WEST HARTFORD 7, CONNECTICUT.

PRICE BOOK SYMBOLS

B1, B2, etc-Block 1, Block 2, etc

B2A-Small area across driveway at south end of Block 2

Bf-Bloomfield

CI-Coming In stock

E-East Block

F1-Flagg Road

Fa-Farm-(North Granby Nursery)

F-Frame

H-House

SG-Sales Ground

H-after any of the above means "heeled in".

Example: Acer saccharum-W(26), Bf(14) Fa(24)--2½-3"--16-18'...60.00
means--West Block has 26 plants, Bloomfield 14, Farm 24--2½-3"
caliper trees--16-18 feet tall at \$60.00 each.

<u>Tree size-caliper in inches-</u>	<u>Tree height-approx. in feet</u>
1½-2".....	9-11'
1 3/4-2".....	10-12'
2-2½".....	11-13'
2½-3".....	12-15'
3-3½".....	13-16'
3½-4".....	14-18'
4-4½".....	15-20'
4½-5".....	16-22'
5-6".....	17-25'

I N D E X

<u>A</u>		
Abelia.....	1	Beech.....10, 11
Abies.....	1	Berberis.....4
Acanthopanax.....	1	Betula.....4
Acer.....	1, 2	Bignonia.....5
Aesculus.....	2	Birch.....4
Akebia.....	2	Bittersweet.....5
Amelanchier.....	2	Bluebeard.....5
Ampelopsis-veitchi.etc.....	2	Boxwood.....5
see Parthonocisus		Bridalwreath.....27
Andromeda.....	21	Buddleia.....5
Annuals-in stock but not listed		Buckthorn.....25
Aralia.....	1	Burningbush.....10
Arborvitae.....	32	Butterflybush.....5
Arctostaphylos.....	2	Buxus.....5
Aristolochia.....	2	
Aronia.....	3	<u>C</u>
Ash, Mountain.....	27	Callicarpa.....5
Azalea.....	3, 4	Calluna.....5
<u>B</u>		Calycanthus.....5
Barberry.....	4	Carpinus.....5
Bayberry.....	20	Caryopteris.....5
Bearberry.....	2	Castanea.....5
Beautyberry.....	5	Cedar.....15
Beautybush.....	16	Celastrus.....5
		Celtis.....6

INDEX-continued

Cercidiphyllum.....	6
Cercis.....	6
Chaenomeles.....	6
Chamaecyparis.....	6
Chaste Tree.....	35
Cherry, Cornelian.....	8
Cherry, Flowering.....	23, 24
Chinese Chestnut.....	5
Chionanthus.....	7
Chokeberry.....	3
Christmasberry.....	21
Christmas Rose.....	12
Cinquefoil.....	23
Cladrastis.....	7
Clematis.....	7
Clethra.....	7
Coralberry.....	28
Cork tree.....	20
Cornus.....	7, 8
Cotoneaster.....	8
Crabapple.....	18, 19
Crataegus.....	8, 9
Cryptomeria.....	9
Currant.....	27
Cypress.....	6
Cytissus.....	9

D

Daphne.....	9
Deutzia.....	9
Dogwood.....	7, 8
Dutchman's Pipe.....	2

E

Elaeagnus.....	9
Elm.....	33
Enkianthus.....	9
Euonymus.....	9, 10
Exochorda.....	10

F

Fagus.....	10, 11
Fence-pink sheet.....	40
Fertilizer-see orange index	
Fir.....	1
Firethorn.....	24
Forsythia.....	11
Fothergilla.....	11
Fringe tree.....	7
Fruit-green sheet.....	36, 37, 38

G

Garden Tools-see orange index	
Ginkgo.....	11
Gleditsia.....	12
Globe Locust.....	27
Goldenchain tree.....	16
Goldenrain tree.....	16
Grass seed-see orange index	

H

Hackberry.....	6
Halesia.....	12
Hamamelis.....	12
Hawthorn.....	8, 9
Heather, Scotch.....	5
Hedera.....	12
Heleborus.....	12
Hemlock.....	32, 33
Hibiscus.....	12
Holly.....	13, 14
Holly, Oregon.....	18
Honeylocust.....	11
Honeysuckle.....	17
Hornbeam.....	5
Horsechestnut.....	2
Hydrangea.....	12, 13
Hypericum.....	13

I

Inkberry.....	14
Ilex.....	13, 14
Insecticides-see orange index	
Ivy, Baltic.....	12
Ivy, Boston.....	20

J

Jasminum.....	14
Jetbead.....	26
Juniper.....	14, 15
Juniperus.....	14, 15

K

Kalmia.....	15
Katsura tree.....	6
Kerria.....	15
Koelreuteria.....	16
Kolkwitzia.....	16

L

Laburnum.....	16
Larch.....	16
Larix.....	16
Laurel.....	15
Leucothoe.....	16
Ligustrum.....	16
Lilac.....	28, 29
Linden.....	32
Lindera.....	16
Liquidambar.....	17
Liriodendron.....	17
Locust.....	11, 12
Lonicera.....	17
Lycium.....	17

M

Magnolia.....	17, 18
Mahonia.....	18
Maidenhair tree.....	11

INDEX-continued

Malus.....18,19
 Maple.....1,2
 Matrimony Vine.....17
 Mockorange.....20
 Morus.....19
 Mountain Ash.....27
 Mountain Laurel.....15
 Mulberry.....19
 Myrica.....20
 Myrtle.....34,35

N

Ninebark.....20
 Nyssa.....20

O

Oak.....24
 Oxydendrum.....20

P

Pachistima.....20
 Pachysandra.....20
 Parthenocisus.....20
 Pearl bush.....10
 Pepperbush.....7
 Perennials-see yellow index
 Phellodendron.....20
 Philadelphus.....20
 Photinia.....21
 Physocarpus.....20
 Picea.....21
 Pieris.....21
 Pine.....21,22
 Pineapplebush.....5
 Pinus.....21,22
 Planetree.....22
 Platanus.....22
 Plum, purpleleaf.....23
 Plum, beach.....23
 Plum, flowering.....24
 Polygonum.....22
 Poplar.....23
 Populus.....23
 Potentilla.....23
 Privet.....16
 Prunus.....23,24
 Pseudotsuga.....24
 Pyracantha.....24

Q

Quercus.....24
 Quince.....6

R

Redbud.....6
 Rhamnus.....25
 Rhododendron.....25,26
 Rhodotypos.....26
 Rhus.....26

Ribes.....27
 Robinia.....27
 Rosa.....27
 Roses.....39
 Rose of Sharon.....12
 Russian Olive.....9

S

Salix.....27
 Sapphireberry.....28
 Sciadopitys.....27
 Scotchbroom.....9
 Scotchheather.....5
 Shadblow.....2
 Shademaster Locust.....11
 Silverbell.....12
 Silverlace Vine.....22
 Smokeberry.....26
 Snowberry & Snowbell.....28
 Sorbus.....27
 Sourgum.....20
 Sourwood.....20
 Spicebush.....16
 Spirea.....27,28
 Spurge.....20
 Spruce.....21
 St. Johnswort.....13
 Stephanandra.....28
 Strawberrybush.....5
 Styra.....28
 Sunburst Locust.....12
 Sweetgum.....17
 Sweetleaf.....28
 Sweetshrub.....5
 Symphoricarpos.....28
 Symplocus.....28
 Syringa.....m.....28,29

T

Tamarix.....30
 Taxus.....30,31,32
 Thuja.....32
 Tilia.....32
 Tools-see orange index
 Trumpetvine.....5
 Tsuga.....32,33
 Tulip tree.....17
 Tupelo.....20

U

Ulmus.....33
 Umbrella Pine.....27

V

Varnish tree.....16
 Viburnum.....33,34
 Vinca.....34,35
 Vitex.....35

INDEX-continued

Zelkova.....Z.....35

ABELIA grandiflora Glossy Abelia Goldsworth purple

Arching semi-evergreen shrubs
to 6' foliage bronze in fall;
flowers pink-white June-Nov.

CI(20) 6-8'whips 5.00

CI-25 18-24" 3.00

nalmatum Green Jap. Maple

B3(3) 4-4½" 100.00
B3-(1) 1½-2" 25.00

ABIES douglasii Douglas Fir

70-80'; tall pyramidal grace-
ful tree; soft gray-green fol-
iage; makes excellent clipped
hedge

W(4) 3-4' 8.00
W(13), B1-(1) 4-5' 12.00
W(22) 5-6' 18.00
W(38) 6-7' 24.00
W(36), E(2) 7-8' 30.00
B1(1) 8-9' 50.00
W(14) 9-10' 70.00
W(4) 10-12' 90.00
W(1), B1(1) 10-12' 90.00

palmatum atropurpureum Red Jap.
Maple
deeply cut dark red foliage

CI(25) 15-18" 7.50
B3(7) 1½-2" 9.00
B3-(7) 2-2½" 10.00
B3(8) 2½-3' 15.00
B3(1) 3-3½' 25.00

fraseri Fraser Fir

To 50'; pyramidal; dark glossy
needles; cones purplish be-
fore maturity.

E(5) 4-5' 12.00
E(6) B3-(1) 5-6' 16.00

nordmanni Nordmanns Fir

needles dark green, silvery
underneath

B1(1) 14-16' 150.00

platanoides Norway Maple
60-80'; tight uniform head; dark
foliage turning yellow in fall.

W(31) 6-7' 8.00
W(34), B3(3) 7-8' 9.00
CI(50) 7-8'whips 5.00
Bf(43) 3/4-1" 10.00
W(44) B3(1) 1-1½" 12.00
W(27) 1½-2" 25.00
CI(50) 1 3/4-2" 22.50
W(4) FL(1) B3(1) 2-2½" 35.00
F(3) 2½-3" 60.00
W(3) 3-3½" 70.00
W(3) FL(2) 3½-4" 125.00
W(3) E(7) B4(1) 4-5" 150.00
FL(1) B1(1) 6-7" 250.00

ACANTHOPANAX sieboldianus

Five-Leaf Aralia

7-8'; shiny 5 parted leaves;
inconspicuous green flowers;
fine for hedges; pest free

B4(44) 4-5' 2.50

platanoides columnaris Column M.

Bf(19) 6-8' 15.00

platanoides nigra Crimson King
Map.

To 60' Stays red throughout
summer.

E(42) B4(6) 6-7' 15.00
E(12) Bf(12) SG(5) 7-8' 18.00
E(7) 8-9' 20.00
B3(3) 1-1½" 25.00

ACER campestre Hedge Maple

To 25'; dense compact maple

B3-(7) 1-1½" 15.00
B3-(6) 1½-2" 25.00

ginnala Amur Maple

Excellent for under wires-
10-12'

CI(30) 6-8' 9.00

Fassen's Black Maple
Similar to Crimson King

Bf(45) 8-10' 10.00
CI(30) 6-7'whips 5.00

ACER rubrum Swamp Red Maple
60-80'; scarlet flowers in
early spring followed by red
fruit; leaves vivid red-orange
in fall; fine shade trees

B4(1)Fl(1)	1½-2"	25.00
B4(1)Fl(2)	2-2½"	35.00
Fl(2)	3-3½"	60.00
B4(1)	3½-4"	90.00

Saccharum Sugar Maple
60-80'; broad full head; brill-
iant red, yellow-orange color
in fall; one of the finest
shade trees.

W(34)B3(2)	1-1½"	12.00
W(103)E(45-BR)		
B3(3)	1½-2"	25.00
	BR	20.00
W(71)Bf(4)Fa(1)	2-2½"-14-16'	35.00

W(23)Bf(14)Fa(24)	2½-3"-16-18'	60.00
W(26)Bf(12)		
B1(2)Fa(19)	3-3½"-18-20'	75.00
W(9)Fa(22)	3½-4"-20-22'	90.00
W(5)B1(2)		
Fa(11)	4-4½"-22-25'	125.00
Fa(13)	4½-5"-25-30'	150.00
B1(3)Fa(5)	5-5½"	175.00
Fa(14)	5½-6"	200.00
Fa(10)	6½-7"	250.00
Fa(11)	7½-8"	350.00
B1(2)	8½-9"	500.00
B1(1)Fa(2)	9½-10"	600.00
B1(2)	10½-11"	650.00
Fa(1)	11-12"	700.00
B1(4)	12-13"	800.00

saccharum columnaris
Columnare Sugar Maple
To 50-75'

CI(30)	8-10'	13.75
--------	-------	-------

schwedleri Schwedler Maple
40-60'; bright red foliage in
spring to purple-green in summer.

CI(20)	7-8'whips	5.00
W(12)	1-1½"	15.00
W(7)E(3)	1½-2"	25.00

AESCULUS hippocastanum
Horsechestnut
50-70'; symmetrical tree, large
clusters of ivory flowers in
May; shiny coated brown fruit
in early fall.

W(1)	2-2½"	25.00
W(1)	2½-3"	35.00
W(1)	3½-4"	90.00

carnea Red Horschestnut
40'; similar to hippocastanum
but with pink flowers in May.

B3(1)	1½-2"	35.00
B3(1)	3-3½"	100.00

AKEBIA quinata Akebia
lacy twining vine with incon-
spicuous purple-brown flowers
in May.

SG(1)CI(25)	potted	3.50
-------------	--------	------

AMELANCHIER canadensis
Downy Shadblow
white flower clusters in April
maroon fruit in June, quickly
eaten by birds

Fl(51)B3(1)	3-4'	3.50
Fl(4)	4-5'	5.00
Fl(8)B3(6)	5-6'	8.00
Fl(7)	6-7'	9.00
Fl(37)B3(3)	7-8'	10.00

AMPELOPSIS brevipedunculata
maximowiczii(heteraphylla)
Porcelain Ampelopsis

SG (18)	8" cans	3.50
---------	---------	------

Veitchei etc.-see
Parthenocisus

ARCTOSTAPHYLOS uva-ursi
Bearberry
Fl15(1)CI(25) 6" per.pots 1.50

ARISTOLOCHIA siphon Dutchman's
Pipe
vine with broad leaves, purple
flowers in July
F21(15) small 1.50

ARONIA brilliantissima

Chokeberry

Brilliant red berries in fall

B4(7) 3-4' 2.50
B4(12) 4-5' 3.00

AZALEA calendulacea Flame Azalea

10-12'; orange-scarlet in May

B3(4) 15-18" 4.00
B3(7) 18-24" 5.00
B3(3) 2-2½' 6.00
B3(2) 2½-3' 7.00
B3(2) 3-4' 10.00

arborescens Sweet Azalea

10'; Pink and white blossoms,
spicy fragrance-red autumn
foliage

CI(20) 18-24" 5.00

Hino-Crimson

Brilliant red-does not fade

H(54) 8-10" 3.00
SG(4) 12-15" 5.00

hinodegeri Hino Azalea

Deep rose-small, almost ever-
green foliage-low to medium

CI(30) 15" 5.00

kaempferi Torch Azalea

4-6'; salmon-pink in late May,
June

B3(29) 15-18" 5.00
B3(22) Bf(5) 18-24" 6.00
B3(18) B3(3), 2-2½' 8.00
Bf(1) 2½-3' 10.00
B3(11) 3-3½' 10.00
B3(6) 3½-4' 12.50
B3(2)

kaempferi hybrid "Othello"

CI(30) 2-3' 12.50

ledifolia alba Pure White A.
Medium height, late flowering

CI(20) 15-18" 7.50

mollis hybrids

H(87) orange }
H(30) orange-red } all
H(36) pale yellow }
H(48) yellow } 1-1½' - 4.00
H(40) rose } ea
H(49) red }
B3(9) red }

SG(6) 1½-2' 5.00
B3(1) 2' 6.00

mucronulata

Dahurian A.

5-6'; frilly rosy-purple; small
blossoms in mid-April; fragrant

B3(18) 2-2½' 7.50
B3(5) 2½-3' 9.00
B3(1) 3-3½' 10.00
B3(2) 3½-4' 12.50
B3(1) 4-5' 15.00

nudiflorum

Pinxterbloom

6-7'; pale pink, fragrant flower
in May and canescens(mixed)

B3(6) 1½-2" 5.00

poukhanensis

Korean A.

4-5'; rosy-purple, sweet scented
in May.

B3(21) 10-12" 4.00
CI(50) 12-15" 5.00
SG(1) 15-18" 6.00
SG(1) 2-2½' 10.00

schlippenbachii

Royal A.

Very large rose colored flowers

CI(50) 15-18" 6.00
B3(1) 18-24" 8.00

Snow

H(3) 12-15" 2.50

AZALEA vaseyi Pinkshell A.
10-12'; pale pink in early May
leaves pretty red in fall.

B3(20)	15-18"	4.00
B3(2)	2½-3'	10.00
B3(3)	3½-4'	15.00

vedoense Yodogawa A.
lavender-pink flowers in pro-
fusion before foliage in April

CI(30)	12-15"	4.50
B3(1)	3-3½'	25.00
B3(2)	3½-4'	35.00

BERBERIS juliana Wintergreen
Barberry

6-7'; deep green leaves turn-
ing vivid scarlet in fall;
yellow flowers, purple fruit.

B2(5)	1-1½'	4.00
B2(3)	1½-2'	6.00
B2(11)B3(1)	2-2½'	8.00
B2(8)B3(2)	2½-3'	10.00
B2(4)B3(1)	3-3½'	12.50
B2(14)B3(9)	3½-4'	15.00
B2(1)	4-4½'	20.00
B2(1)	4½-5'	25.00

thunbergi Japanese Bar.
5-6'; thorny, dark green leaves
in winter.

CI(250) 2 yr.	.35	25.00 per C
CI(200) 3 yr.	1.00	80.00 per C

B3(1)	2½-3'	1.50
-------	-------	------

thunbergi atropurpurea
Redleaf Japanese Barberry
similar to species, red-purple
foliage

CI(250)	2 yr.	.50 ea
		35.00 per C
B3(11)	2-2½'	2.00
Bf(3)	3-3½'	3.00

BETULA papyrifera Paper Birch
Canoe Birch

To 50'; big-leaved, open head;
foliage yellow in fall; bark
is whitest of all birches and
in older trees it peel; seldom
troubled by borer

Clumps

Bf(1)	4-5'	10.00
Bf(22)	5-6'	12.00
Bf(33)	6-7'	15.00
E(10)Bf(53)	7-8'	20.00
Bf(49)B4(1)	8-9'	30.00
Bf(30)	9-10'	35.00
Bf(10)	10-12'	40.00
Bf(2)	12-14'	45.00
Bl(1)	6-7"x 4-5"	300.00

Single

W(3)B4(1)	1½-2"	20.00
W(1)B4(2)	2-2½"	35.00
F1(1)	2½-3"	50.00
B3(1)	3-3½"	60.00
F1(1)	3½-4"	85.00
Bl(13)	6-7"	250.00
Bl(2)	7-8"	300.00
Bl(1)	8-9"	400.00
Bl(1)	9-10"	600.00
Bl(3)	10-11"	800.00

alba European White B.
To 50'; bark very white

CI(20)	6-8'	5.00
Bl(1)	1½-2"	25.00
Bl(4)	2-2½"	35.00
Bl(5)	2½-3"	60.00
Bl(1)	4½-5"	150.00

pendula gracilis Cutleaf
Weeping Birch

30-40'; finely cut leaves on
drooping branches; clear
yellow color in fall.

CI(30)	7-8' BR	5.00
B4(5)	7-8'	11.00
B4(8)	9-10'	15.00
W(3)	1-1½"	20.00

populifolia Gray Birch

graceful small tree to 30';
smooth white bark when young; lik
likely to be damaged in ice
storms

W(8)	1½-2"	15.00
------	-------	-------

(campsis)
BIGNONIA/radicans

Trumpetvine

CI(25) potted 2.50

BUDDLEIA Butterflybush

10-12'; grey-green foliage;
dies back in winter; best
cut back yearly; flowers in
spikes; Aug. Sept.

F1(1) 4-5' 5.00

White Profusion

B3(4) 1½-2' 2.00

SG(3) 2-2½' 8" can 2.50

Ile de France-deep lilac-
purple

CI(20) 12-18" potted 2.00

B3(3) 2-3' 2.50

Charming Pink

CI(20) 12-18" potted 2.00

SG(1) 3-3½' 8" can 2.50

BUXUS microphylla Boxwood

F15(1) 6" perennial pots 4.00

sempervirens

CI(50) 6-8" potted 2.00

B2(3) 3' 10.00

B2(1) 5-6' 25.00

CALLICARPA dichotoma purpurea

Chinese Beautyberry
4-5'; bright rose-violet berries

B3(25) 2½-3' 2.50

B3(1) 3½-4' 5.00

CALLUNA vulgaris Scotch Heather

Blooms profusely in late
summer.

CI(25) dbl. pink 2.00

pilosa alba-white

CI(25) 2.00

-5-

CALYCANTHUS floridus

Sweetshrub

Strawberrybush-Pineapplebush
8-9'; spicy red-brown flowers
June.

B4(29) 2-3' 3.00

CARPINUS betulus European Horn-
beam

B1(1) 1½-2" 15.00

B1(3) 2-2½" 20.00

B1(3) 2½-3" 30.00

caroliniana American Hornbeam
to 30'; bluish-green foliage
fruiting catkins 4" long.

Bf(2) 4-5' 10.00

Bf(2) 6-7' 15.00

CARYOPTERIS

Bluebeard
Spirea

Blue Mist-Low growing. Fine
foliage, silvery green. Clusters
of powdery blue fringed flowers,
from August to frost.

SG(1) 12" in 8" can 2.00

Heavenly Blue

CI(30) potted 2.50

CASTANEA mollissima Chinese
(bearing chestnut) Chestnut
40-60'; blight-resistant; large
sweet nuts; early bearing; well
drained location.

CI(10) 3-4' 18.00

B3(1) 4-5' 7.50

B4(1) 7" 300.00

CELASTRIS scandens Bittersweet
shrub or vine climbing to 20';
flowers in terminal panicles
2-4" long; fruits orange-yellow
with crimson seeds

CI(25)SG(1)
F21(7) 8" cans 2.50

CELTIS occidentalis Common Hackberry
To 120'; rounded trunk rough
twigs smooth; very small sweet-
flavored red fruits

F1(2)	1-1½"	10.00
F1(2)	1½-2"	15.00
F1(6)	2-2½"	25.00

CERCIDIPHYLLUM japonicum Katsura tree
70-80'; fine heart-shaped leaves
purple in spring, golden in fall;
tree valued for interesting
texture.

F1(1)	5-6'	15.00
F1(1)	6-7'	20.00
F1(4)	7-8'	25.00
F1(1) 3 stem	9-10'	45.00
B3(10)	10-12'	60.00

B4(1)	7-8"
B4(2)	8-9"

CERCIS canadensis Redbud
20-25'; rosy-purple flowers
in April-May; lovely, combined
with white dogwood.

W(9)	3-4'	5.00
W(4)B3(1)	4-5'	7.50
W(12)B3(1)	5-6'	10.00
W(3)B4(2)F1(1)	6-7'	15.00
F1(1)	1-1½"	15.00
W(20)B4(4)		
B3(1)	7-8'	25.00
B3(1)	1½-2"	25.00
W(6)B4(1)	8-9'	30.00
B3(4)	2-2½"	30.00
B3(3)	2½-3"	35.00

canadensis alba White Eastern Redbud
same as species with white
flowers

W(4)	6-7'	15.00
------	------	-------

chinensis Chinese Redbud
8-10'; more shrubby with larger
flowers of slightly darker
rosy-purple in early April.

B4(14)F1(85)	2-3'	3.50
B3(23)B3(1)	3-4'	3.50
B3(2)	4-5'	7.50

CHAENOMELES japonica Japanese Flowering Quince
3-6'; brilliant red flowers
in April-May

SG(5)	6" cans	3.00
SG(5)	2½-3' in baskets	5.00
B3(1)	3-3½'	7.50

japonica dwarf

F1(26)	15-18"	3.00
--------	--------	------

japonica nivalis-white

B3(4)	18-24"	4.00
B3(5)	2-2½'	5.00
B3(3)	2½-3'	6.00
B3(2)	3-3½'	7.00
B3(12)	3½-4'	8.00

Candida-white

B4(4)	2'	4.00
-------	----	------

Red-upright

CI(30)	18-24"	3.00
--------	--------	------

Snowbird

B4(8)	2-3'	6.00
-------	------	------

Coral Beauty

B3(7)	2-2½'	5.00
-------	-------	------

CHAMAECYPARIS obtusa gracilis
compacta

Hinoki Cypress
dense, pyramid, blacking
green foliage

SG(6)	6-8"	4.00
SG(2)	12-15"	4.00

pisifera filifera Thread Cypress
branches elongated and slender
thread-like, graceful.

Bf(113)	1½-2'	2.50
---------	-------	------

aurea nana

Bf(275)	2-2½'	2.50
F3(1)	3-3½'	7.50

CHIONANTHUS virginicus

Fringe Tree

20-25': flowers white tassels in early summer; dark green foliage; dark blue fruit

F1(16)	2-3'	5.00
B4(1)	3-4'	6.00

CLADRASTIS lutea Yellowwood

30-40': wide spreading head; bright green leaves changing to clear yellow in fall; fragran white flowers in June

W(1)	1-1½"	15.00
B1(1)W(2)	2-2½"	36.00
B1(1)	2½-3"	60.00
B1(2)	3-3½"	75.00

CLEMATIS-hybrids 3.50 each unless otherwise noted

White

CI(50) Henryi.....	2.50
F21(2) Huldine	

Dark Velvet to Purple

F21(6) Jackmani	
CI(50) " small.....	2.50
F21(1) Lady Balfour	

Pink

F21(3) Mme. Baron Veillard	
F21(26) Montana undulata	

Blue to Purple

F21(1) Elsa Spath	
-------------------	--

Red

F21(2) Mme Edouard Andre	
CI(50) Montan rubens...3-4'	
F21(2) Ville de Lyon	

paniculata

Sweet Autumn Clematis

25-30': small white fragrant flowers in masses, Aug.Sept. seed pods which follow produce flower effect.

F21(14), DI(50)	2.50
-----------------	------

CLETHRA alnifolia Sweet Pepper-bush

5-10': upright shrub, white flowers in July, Aug. gray fruit in fall

B4(10)	2-3'	2.50
B4(53)B3(2)	3-4'	3.50

CORNUS florida White Flowering Dogwood

25-30': white-flowered tree; May red berries in Oct.followed by colorful red foliage

CI(75)	2½-3'	4.00
Bf(2)	3-4'	6.00
F1(1)Bf(22),		
B3(2)	4-5'	7.50
B2(1)F1(3)E(13),		
B3(1)Bf(123)	5-6'	12.00
B2(6)F1(8),		
Bf(20)B3(2)	6-7'	18.00
E(10)Bf(10),		
B2(4)	7-8'	25.00
B2(1)F1(2)E(7),		
Bf(4)B1(1)	8-9'	35.00
B3(1) two stem	8-9'	35.00
B2(1)	9-10'	40.00

Single Stem

B2(4) 10-12'	2-2½"	60.00
B2(4)	2½-3"	70.00
B2(10)	3-3½"	80.00
B2(1)	3½-4"	100.00
B2(1)	4-4½"	140.00
B2(3)	5-5½"	175.00
B2(4)	5½-6"	200.00
B2(10)	6-6½"	250.00
B2(18)	6½-7"	300.00
B2(13)	7-7½"	350.00
B2(9)	7½-8"	375.00
B2(7)	8-8½"	400.00
B3(1)B2(2)	8½-9"	500.00

Multiple Stem

B2(1) 3 stem 1x1x1"	60.00	
B2(3)	1½-2"	70.00
B2(2) 6 stem	3-3½"	125.00
B2(1) 2 stem	4-4½"	150.00
B2(1) 2 stem	5½-6"	200.00
B2(1) 4 stem	6-6½"	250.00

florida alba plena-double white

CI(10)	4-5'	15.00
--------	------	-------

CORNUS florida rubra Red Flw.
Dogwood

25' pink flowered

W(3)CI(100),		
SG(5) potted	1½-2'	3.00
CI(75)	2-2½'	5.00
W(2)Bf(58)	2-3'	6.00
W(2)Bf(121),		
Fl(46)	3-4'	10.00
W(15)Bf(46),		
Fl(145)	4-5'	18.00
Bf(22)Fl(59)	5-6'	25.00
Bf(13)	6-7'	35.00

florida prosser-bright red
Dogwood

CI(10)	3-4'	15.00
--------	------	-------

florida Welchi-variegated

CI(10)	2-2½'	10.00
--------	-------	-------

Kousa Kousa Dogwood
15-20'; white flowers in June
large pendant red fruit Oct.

Fl(3)B3(3)	3½-4'	10.00
Fl(7)	4-5'	12.00
Fl(8)	5-6'	15.00
B2(1) multi-stem	8-9'	100.00
B2(1) "	"10'	150.00
B2(1) "	"11'	170.00
B2(1) 3x3x3"	12-15'	200.00

lutea Yellowtwig Dogwood
bright yellow bark. Excellent
for winter effects.

CI(20)	2-3'	2.00
--------	------	------

mas Cornelian Cherry
15-20'; tree-like clusters of
small yellow flowers in March-
April. cherry like fruit in
October.

B4(18)	4-5'	7.50
B4(1)B3(4)	6-7'	25.00
H(1)	8-9'	60.00
B4(1)H(1)	10-12'	100.00
B4(1)	14-16'	200.00

stolonifera sanguinea
To 10' dark red branches
Red stemmed Dogwood

CI(20)	2-3'	2.00
--------	------	------

COTONEASTER apiculata praecox
Creeping Cotoneaster

CI(60)	12-15"	2.50
CI(50)Fl5(44)	6" per.pots	3.50
H(6)	2-2½'	8.00

divaricata Spreading
Cotoneaster
4-5'; pink flowers in June; red
berries in Sept. and all winter
wide spreading in habit; dark
glossy leaves

CI(200)	BR	2.00
Bf(6)B3(2)	2-3'	3.50
W(2)Bf(6)B3(2)	3-4'	5.00
Bf(1)	6-7'	10.00

horizontalis Rock Cotoneaster
3'; almost evergreen glossy
leaves red berries Sept.Oct.
branches in flat sprays.

Fl5(4)	6"per pots.,	
CI(100)	6-9"potted	2.50
CI(50)	12-15"	
	potted 1 gal cans	4.00
H(16)	2-2½'	8.00

CRATAEGUS oxycantha English
Hawthorn
15'; small, dense tree; spines
1" long, fine textured foliage;
bright red berries white flowers

CI(30)	5-6'	5.00
B3(1)	1-1½"	20.00
B3(1)dbl.stem	B3(1) 2-2½"	50.00
B3(1)	6½-7"	150.00

oxycantha pauli Paul's Scarlet
H.
20-25'; double red flowers in
May. fragrant red berries fall.

see next page

CRATAEGUS oxycantha pauli
Paul's Scarlet H.

Bf(9)B3(2)Fl(2)	5-6'	6.00
CI(30)	6-8'	8.00
Bf(5)	6-7'	10.00
E(7)Fl(3),		
B3(3)	7-8'	15.00
E(3)	8-9'	25.00
B3(1)	9-10'	35.00

phaenopyrum(cordata) Washington
Hawthorn

25': white flowers in May or June: clusters of brilliant red berries

CI(30)	6-8'	10.50
Fl(3)E(10),		
CI(20)	7-8'	15.00
Fl(2)	8-9'	35.00
Fl(1)	9-10'	50.00
B3(1)	4-4½"	200.00

CRYPTOMERIA japonica Cryptomeria

Tree of pyramidal habit growing to 50': foliage bluish-green: often winter kills.

CI(5)	4-5'	15.00
-------	------	-------

CYTISSUS praecox Scotch Broom

Green stemmed bushy shrub to 8': flowers yellow, solitary or in pairs, pea-like.

CI(20)		3.00
--------	--	------

DAPHNE cneorum Rose Daphne

15-18" narrow grey-green foliage fragrant pink flowers in spring and late summer: plant in poor well drained soil

CI(50)	6-9"	2.75
CI(50)	12"	4.00

DEUTZIA gracilis rosea

Rose Panicle Deutzia
stronger grower with pinkish flowers.

B3(1)	18-24"	2.50
B3(3)	2½-3'	3.50

gracilis Slender Deutzia
low, compact shrub, 2-4': slender brown branches

B4(20)	12-15"	2.00
--------	--------	------

Lemoinei

broad rounded bush to 4': clusters of white flowers in June

Fl(21)Bf(6)	2½-3'	2.50
-------------	-------	------

ELAEAGNUS angustifolia Russian
Olive

15-18': fragrant yellow small flowers June: yellow-orange berries, handsome silver foliage

Fl(3)	3-4'	4.50
Fl(24)	4-5'	7.50
Fl(13)	5-6'	10.00
Fl(2)	6-7'	15.00

ENKIANTHUS campanulatus

Redvein Enkianthus
12-15': redveined cream bell-shaped flowers in May: vivid red foliage in fall: acid soil preferred.

B3(1)	1½-2'	5.00
B3(15)	2-3'	6.00
B3(28)SG(4)	3-4'	8.00
B3(9)	4-5'	10.00

EUONYMUS alatus Winged Euonymus

8-9': orange-red berries in fall: vivid red leaves in Sept. corky wings on the branches.

B3(44)E(35),		
W(4)Bf(52)	3-4'	5.00
W(9)Bf(57)	4-5'	7.50
W(15)Bf(12)	5-6'	10.00
B4(1)	6-7'	12.50

alatus compactus Dwarf Winged
Euonymus

5-6': dwarf form with less conspicuous wings: pink-red foliage Sept. Oct.

W(25)Fl(2)B3(16)	2-3'	3.50
------------------	------	------

EUONYMUS coloratus

Purpleleaf
Euonymus

SG(13)	6-9" potted	1.50
Fl2(200)	5" pots	2.50
Fl2(34)	6" pots	2.50

europaeus European Burning bush
small leaved, showy in fall-
smooth pinkish-red fruits.

E(45)	4-5'	3.50
-------	------	------

fortunei carrierei

B3(2)	15-18"	3.50
-------	--------	------

minimus Baby Wintercreeper
very small oval evergreen leaves

CI(20)	in cans	1.75
--------	---------	------

patens Spreading Euonymus
8-10'; half-evergreen; glossy
wavy leaves; foliage purple
in fall; orange fruits; perfect
for hedges.

CI(50)	15-18"	4.00
Bl(1)	3-4'	10.00
B2(4)	4-5'	15.00
B2(6)	5-6'	20.00

radicans vegetus Bigleaf
Wintercreeper
12-15'; thick, dull, round
leaves, orange berries in Oct.

F(19)	2" pots	.20
F3(130)	8-12"	1.50
B3(4) Fl(3) CI(50)	12-15"	2.50
CI(50)	15-18"	3.50
B3(1)	18-24"	4.00

EXOCHORDA grandiflora Pearl
Bush

-8-10'; mass of white flowers
in May; prefers moist place

B3(7)	3-4'	2.50
-------	------	------

FAGUS sylvatica European Beech
80-100'; smaller darker leaves
than American; slow growing
stands shearing well.

B4(19)	1½-2"	25.00
B4(45)	2-2½"	30.00
B4(25)	2½-3"	50.00
Bl(5)	3-3½"	60.00

sylvatica asplenifolia
Fernleaf Beech

20-30'; delicate finely-cut
leaves.

Bl(6)	8-9"	600.00 pld.
-------	------	-------------

sylvatica atropuneca Copper
Beech

CI(10)	4-5'	35.00
--------	------	-------

sylvatica pendula Weeping
Beech

50-60'; finest of weeping trees
effective on rolling contours
or as a single specimen on the
lawn.

B3(3)	2-2½"	7.50
Bl(3)	2½-3"	75.00
Bl(6)	2½-3"	100.00

grandiflora American Beech
large open tree to 75'; clean
gray trunk and limbs; leaves
dark bluish green turn yellow
in autumn.

B3(1)	1½-2"	20.00
-------	-------	-------

FAGUS sylvatic riversi

River's Purple
Beech

70-80'; good specimen with
purple leaves.

B3(5)E9(18)	2-2½'	6.00
B3(2)	2½-3'	7.00
F1(7)CI(30)	3-4'	10.00
B1(2)	5-6'	35.00
B1(1)	7-8'	60.00
B1(1)	8-9" plt.	650.00
B1(2)	9-10" plt.	750.00

FORSYTHIA intermedia primulina

Primrose Goldenbell

6-8'; lovely delicate yellow
flowers.

B3(7)B4(35)Bf(1)	3-4'	3.00
Bf(3)B3(100)	4-5'	3.50
Bf(11)	5-6'	5.00

intermedia spectabilis

Showy Border Goldenbell

8-9'; large deep yellow flowers
in great numbers in April; very
showy

B3(20)B4(16)	3-4'	3.00
B3(1)	4-5'	3.50
B3(6)	5-6'	5.00

intermedia Spring Glory
mass of large pale yellow flowers

F1(12)	4-5'	3.50
--------	------	------

Lynwood Gold

5-7'; branches erect; deep
yellow flowers

B3(20)	4-5'	3.50
--------	------	------

suspensa Weeping Goldenbell
4-6'; drooping branches; clear
yellow in April

B3(1)	3-4'	2.50
B3(1)	4-5'	3.50

FOTHERGILLA major Large Foth.

10'; compact roundish shrub;
flowers May; June; foliage
red and orange-yellow in fall.

B3(6)	2-3'	4.00
B3(1½)	3-4'	6.00

GINKGO biloba Maidenhair Tree

60-80'; fan-shaped leaves,
clear green in summer, yellow
in fall. Plant staminate trees
only, as fruit is very object-
ionable

B3(1)	1½-2"	35.00
B3(2)	2-2½"	60.00
B3(1)	3-3½"	90.00

GLEDITSIA triacanthos Honeylocust

50-60'; light green delicate
cut foliage; provides light
shade thorned; red-brown pods
Oct. Better to use staminate
plants and avoid pods.

W(7)	1½-2"	20.00
W(10)	2-2½"	30.00
B1(1)	6-7"	200.00

triacanthos inermis

Thornless Honeylocust
straight trunk-symmetrical
tops-dark green foliage- quick
growing.

B1(3)	8-10' 1½-2"	25.00
B3(1)	3-4"	100.00
B3(1)	4-5"	125.00

triacanthos inermis

Shade master Locust
straight strong trunk-ascend-
ing branches-dark green foliage
requires no staking-rapid
growth

CI(30)	6-8'	12.50
--------	------	-------

GLEDITSIA triacanthos inermis

aurea
Cole's New Sunburst Locust
bright golden-bronze on tips
of branches. Tree is well
formed and symmetrical with
spreading habit.

CI(30) 2 yr. branched
6-7' 15.00
SG(10) 4-5' inbaskets 15.00

triacanthos inermis

Moraine Locust
80-100' round-headed when
young but tall vase-shaped
when older; thornless seed-
less, hardy hardwooded; with-
stands drought and flood, long
lived.

W(13) 4-5' 7.50
W(43)B3(4) 5-6' 8.50
W(147)B3(3) 6-8'
3/4-1" cal 10.00
W(139)B3(2) 8-9'
1-1 1/2" 15.00
W(18) 9-11' 1 1/2-2" 25.00

HALESIA caroliniana (tetraptera)

Carolina Silverbell
20-25'; bell-shaped white
flowers May; winged brown seed

B3(22)Fl(2) 3-4' 6.00
Fl(7) 4-5' 9.00
Fl(2)B4(6) 5-6' 10.00

B1(1) Single Stem
6" 200.00

B1(1) Double Stem
3&3 1/2" 175.00
B1(1) 2 1/2&4" 165.00

HAMAMELIS vernalis Vernal

Witchhazel
4-6'; small fragrant yellow
flowers in Feb. March which
open and shut with weather
changes.

B4(7) 3-4' 3.00
B4(9) 4-5' 4.00
B4(13) 5-6' 5.00

virginiana -native Witchhazel
fall flowers in Nov. Last shrub
to bloom in this area.

B4(9) 2-3' 2.50
B3(2) 5-6' 5.00

HEDERA helix baltica Baltic Ivy
10-20'; evergreen; vine or
ground cover; small dark green
leaves, purplish cast in winter
climbs/aerial rootlets; esp-
ecially good for north sides of
buildings and in shade.

Fl4(12) 2 1/2" pots .50 ea
Greenhouse 1000 45.00 per C

HELEBORUS

Christmas Rose

Fl4(30)CI(100) 6" pots 2.50

HIBISCUS syriacus anemonae florus

Rose of Sharon
8-10'; dbl pink-July-October

Banner-single white-red eye
CI(10) 5-6' 6.25

Boule de Feu-double red
SG(7) 8" cans 3.50

Cape Cod Skies-single blue
CI(10) 2-3' 2.50

Lady Stanley-dbl. white, shaded
rose
CI(10) 2-3' 2.50
3-4' 3.50

Pink Bountiful-single clear pink
CI(10) 2-3' 2.50

Rubis-single red
SG(7) 8" cans 2-3' 3.50

W. R. Smith-single white
CI(10) 2-3' 2.50

HYDRANGEA arborescens grandiflora
large double white flowers in
August.

B4(66) 2-3' 2.00

HYDRANGEA paniculata grandiflora

Peebee Hydrangea

4-5'; white turns to pink; Aug. to frost.

B3(12) 3-4' 3.00

petiolaris Climbing Hydrangea

35-40'; clusters of white flowers
June; attractive foliage

F21(7)CI(20) 5.00

quercifolia Oak Leaf Hydrangea

leaves shaped like an oak leaf.
Beautiful autumn coloring. Good
in shade

SG(7) 8" cans 18-24" 2.50

Nikko Blue

SG(7) 8" cans 3.00

HYPERICUM aureum Golden

St. Johnswort

3-4'; brilliant yellow flowers
in July, Aug. light soil in
sun or shade

Bf(1) 2-3' 2.50

Bf(4)B4(1) 3-4' 3.50

Bf(1) 4-5' 5.00

SunGold

18-24"; hard, shapely, dwarf,
twiggy flowers more freely and
longer; large golden flowers

SG(1) 8" can 12-15" 2.50

CI(30) 2.50

hidcotea

large growing yellow flowers
on low growing bushy plant

B4(4)CI(30) 1½-2' 2.50

ILEX crenata Japanese Holly

8-10'; evergreen, upright
growing

F19(160) 3" pots .30

Bf(14) 15-18" 4.00

B2(2)B2A(2) 18-24" 7.50

B2(1)B2A(1)

CI(50) 2-2½' 9.00

B2(3)B2A(1) 2½-3' 15.00

B2(6) 3½-4' 25.00

B2(5)B2A(1) 4½-5' 30.00

B2(1) 5-5½' 35.00

B2(5) 5½-6' 50.00

convexa (bullata) Boxleaf Jap.
Holly

3-4'; small, shiny, evergreen
leaves, dwarf, compact; a fol-
iage plant similar to boxwood

F19(250) 3" pots

B3(430) in pots .15

F8(200) 6-10" 3" pots .25

B3(9)F1(14)

SG(3 in cans) 9-12" 2.50

B3(4)H(2) SG(19-6" cans),

F3(50-6" cans) 12-15" 3.00

B3(2)F1(7)H(4),

B2(2)CI(200) 15-18" 6.50

B3(3)H(8)B1(1),

SG(1)CI(200) 18-24" 9.00

B2A(2) 2-2½' 12.00

H(3) 3-3½' 15.00

crenata hetzi

large convex foliage, dark green
hardy-grows rapidly

B3(200) 9-12" 2.00

crenata microphylla Green

Island Holly

broad-leaved evergreen, low,
spreading, rapid growth when
young.

B3(11) 12-15" 6.00

B3(6)B2(10) 15-18" 7.50

latifolia Upright Lusterleaf

Holly

CI(50) 18-24" 7.50

ILEX glabra Inkberry
4-6'; dark evergreen, leaves
turning metallic blue in winter;
black berries in late fall

SG(1)	1-1½'	3.50
CI(20)	12-15"	
	in 1 gal cans	4.00
B1(8)SG(3)	18-24"	6.00
B3(1)B1(10)	2-2½'	9.00

opaca American Holly
30-40'; eastern Christmas holly
evergreen angular leaves with
red berries on pistillate plants
if planted with or near staminate
plants.

E(57)	6" cans male	
	8-12"	3.50
SG(10)cans	12-15" male	3.50
SG(6) "	12-15" fem.	3.50
B3(6)	2-2½'	5.00
SG(20)	2½-3'	15.00
SG(28)	3-3½' fem.	20.00
B1(1)B4(2-fem.)	5-6'	50.00
B2(1)	6-7'	70.00
B1(2)	7-8'	80.00
B1(1)B4(1-fem)	8-9'	125.00
B1(4)B4(1-fem)	9-10'	150.00
B1(1)	10-12'	200.00

opaca-Arden
F9(50) 6" in cans 3.50

opaca-S.H.F.
F9(4) 6" in cans 3.50

opaca-Felton #7
F9(20) 8-10" in 6" cans 3.50

opaca Langdon
F9(9) 8-10" in 6" cans 3.50

verticillata Winterberry
8-10'; dull deciduous leaves,
clusters of red berries in
October.

Bf(46)	18-24"	2.50
Bf(64)	2-3'	3.50
Bf(17)	3-4'	6.00
Bf(2)	4-5'	9.00
E(37)	5-6'	5.00

verticillata polycarpa
Large fruited Winterberry-self
pollinating, 7-8' like species-
large berries.

B4(28)	3-4'	3.50
--------	------	------

JASMINUM nudiflorum Winter
Jasmine
4-5'; starry yellow bells in
April or before green branches
excellent for forcing.

SG(32)	6" cans	12"	2.50
F15(9)	6" p.pots		2.50

JUNIPERUS burki

W(5)	5-6'	18.00
W(5)	6-7'	23.00

chinensis pfitzeriana

Pfitzer Juniper
5-6'; plume-like spreading branch
fast growing gray-green

Bf(30)	12-15"	3.50
Bf(176)F(47)B3(5)	18-24"	6.50
SG(6)CI(50)	18-24"	6.50
SG(1)Bf(89)F(50),		
B3(1)B2(48)	2-2½'	7.50
Bf(1)F(13)	2½-3'	10.00
B3(2)	3-3½'	12.00
B3(1)	4-4½'	20.00

chinensis pfitzeriana nana-Dwarf

E(200)	liners	1.00
Bf(48)SG(12)	12-15"	5.00
B2(2)	2-2½'	16.00

chinensis columnaris Column
Chinese Juniper

W(10)	5-6'	18.00
W(27)	6-7'	23.00
W(7)	7-8'	30.00

chinensis sargentii-Chinese Sargent
J.

2-2½'; prostrate ground cover of
thick grass-green foliage; fine tex.

F(22)B3(2)	12-15"	3.50
F(41)Bf(42)	15-18"	5.00
F(13)	18-24"	7.50
B3(2)	2-2½'	10.00

JUNIPERUS-continuedhorizontalis plumosa (depressa

Elm)

Andorra Jun.

spreading type-hardy; purplish
in winter; attractive.

CI(50) 15-18" 6.50

sargentii viridas

E(300) grafted liners 2.50

communis hibernica Irish Jun.

narrow pyramid-gray-green foliage

E(65) liners 15-18" 1.00

Bf(72)SG(4) 2-2½' 3.00

Bf(2) 2½-3' 4.00

Bf(2) 3-3½' 6.00

glauca hetzi Hetz's Blue Jun.
out performs other varieties in
growth.

Bf(46) 12-15" 3.50

Bf(61)F(1)SG(7) 18-24" 6.50

CI(50) 18-24" 6.50

Bf(50)F(8)B3(2) 2-2½' 8.00

B2(17) 2-2½' 8.00

F(6)B2(3) 2½-3' 10.00

B3(1)B2(2) 3-3½' 15.00

horizontalis douglasi Waukegan

Juniper

evergreen; long branches trailing
along ground-good ground cover-
steadily-blue foliage

F1(1) 12-15" 5.00

F1(1) 15-18" 6.00

F1(6) 18-24" 7.00

F1(15) 2-2½' 8.00

procumbens

E(385) liners 2.50

virginiana glauca Silver Red

Cedar

20-25'; similar to J. cannarti
but foliage is blue-green

W(12) 3-4' 7.50

continued next column

virginiana glauca-continued

W(67) 4-5' 15.00

W(125) 5-6' 18.00

W(55)B3(2) 6-7' 20.00

virginiana keteleeri Keteleer C.18-20' dark green slate-blue
berries pyramidal

W(7) 5-6' 18.00

W(18) 6-7' 23.00

W(20) 7-8' 30.00

virginiana pyramidiformis

Purple Pyramid Red Cedar

W(2)B3(1) 5-6' 18.00

W(9) 6-7' 23.00

W(1) 7-8' 30.00

sabina

Savin Juniper

gray-green foliage of scale type
enriched by slight bronze-useful
for rock gardens and banks.

Bf(19) 15-18" 4.00

Bf(4) 1½-2' 5.00

Bf(7) 2-2½' 6.00

KALMIA latifolia Mountain Laurel6-8'; clusters of pink blossoms
in June; July; shiny evergreen
foliage.

E(18) 12-15" 3.00

B1(1)B3(1)SG(1) 15-18" 3.50

B1(9)B3(3)SG(7), 18-24" 4.00

CI(200) 2-2½' 5.00

B1(3)SG(6) 2½-3' 6.00

B1(1)SG(7)CI(200) 3-3½' 8.00

SG(2) 3½-4' 9.00

CI(25) 3½-4' 9.00

KERRIA japonica

Kerria

stems bright green-yellow flowers
June-October

CI(10) 2.00

THE PETER CASCIO NURSERY
2600 ALBANY AVENUE
WEST HARTFORD 7, CONNECTICUT.

KOELREUTERIA paniculata Varnish Tree
Golden Rain Tree
25-30'; large showy flowers in
bunches in July

B3(2)	2-2½"	50.00
B3(1)	5-6"	175.00

KOLKOWITZIA amabilis Beautybush
6-9'; pink bells along spreading
branches in May; fragrant

B3(10)	2-3'	2.00
B3(13)	3-4'	2.50
B3(6)	4-5'	3.50

LABURNUM vossi Goldenchain Tree
15-20'; small ornamental with
drooping racemes of yellow
flowers in spring.

CI(10)	4-5'	7.50
B3(6)	1½-2"	25.00
B3(23)	2-2½"	35.00
B3(20)	2½-3"	45.00
B3(4)	3-3½"	60.00

vulgare Goldenchain
attractive, small tree with
yellow pea-shaped flowers, in
long racemes

B2(2)	3"	50.00
B2(1)	5"	100.00
B2(2) multistem	13'	100.00

LARIX kempferi Japanese Larch

W(24)	12-14'	60.00
-------	--------	-------

LEUCOTHOE catesbaei Drooping
Leucothoe
4-5'; fragrant white flower sprays
in May; shiny evergreen foliage
rich purple in winter; arching
branches; moist acid soil ideal

B3(8) B1(1)		
B2A(14) CI(25)	1-1½'	5.00
B3(7) SG(14)	1½-2'	6.00

LIGUSTRUM amurense Amur River
Privet

10'; almost evergreen; a
graceful spreading specimen
or an excellent clipped hedge.

W(350) B3(3)	3-4'	.60 ea
		50.00 per C.
B3(4)	5-6'	2.00

ibolium Ibolium Privet
8-10'; semi-evergreen; a grace-
ful spreading specimen or an
excellent clipped hedge.

CI(300)	2-3'	.50ea
		40.00 per C
B3(42)	3-4'	.60ea
		50.00 per C

ibota regelianum Regels Border
Privet

8'; dull green foliage; black
berries in fall and winter;
white flowers in July.

FI(30)	2-3'	2.00
FI(11)	3-3½'	2.50

ibota vicari Golden Ibota
Privet

striking yellow foliage; clear
even color. does best in full
sun.

CI(50)		1.00
--------	--	------

ovalifolium California P.
shiny green foliage; dense;
upright; fast growing; white
flowers in Aug.

CI(300)	2-3'	.40ea
		35.00 per C
B3(13)	3-4'	.75ea

LINDERA (Benzoin) Spicebush
10-12'; tiny yellow fringed
flowers in April; scarlet
berries in Sept. yellow leaves
in fall.

FI(12)	2-3'	2.50
B4(20)	3-4'	3.50
B3(13)	4-5'	5.00

LIQUIDAMBAR styraciflua

Sweetgum

100'; pyramidal tree; star-
shape leaf; brilliant orange-
red fall coloring

W(8)	2-2½"	36.00
W(13)	2½-3"	60.00
W(5)	3-3½"	100.00
Bl(1)	12-13"	800.00

LIRIODENDRON tulipifera

Tulip Tree

green-yellow flowers, June

Fl(1)	5-6'	7.50
Fl(4)CI(20)	6-8'	10.00

LONICERA fragrantissima

Winter Honeysuckle

6-8'; small fragrant white
flowers in March before foliage
semi-evergreen.

B4(41)	3-4'	3.00
B3(8)	4-5'	4.00
B3(5)B4(8)	5-6'	5.00

bella albida

Fl(6)	3-4'	3.50
-------	------	------

japonica halliana Hall's H.

20-25'; creamy fragrant flowers

CI(250) B.R.		.60 ea
	50.00 per C	
SG(3)F2(88)	8" cans	1.00ea.
	90.00 per C	

morrowi Morrow Honeysuckle

7-8'; creamy flowers in May;
bright red berries July; gray-
green foliage.

B3(1)B4(20),		
Fl(31)	3-4'	2.50
B4(4)	5-6'	5.00

ruprechtiana Manchurian H.

Fl(39)	5-6'	5.00
--------	------	------

LONICERA-continued

henryi
evergreen

SG(5)	8" cans	1.25
-------	---------	------

tatarian Tatarian H.

6-8'; vigorous spreading shrub
foliage blue-green; pink to
white flowers in May; red
berries in July

Fl(19)Bf(1)	3-4'	3.00
-------------	------	------

tatarica rubra

B3(6)	4-5'	4.00
B3(4)	5-6'	5.00

Maacki Maack Bush Honeysuckle

stout upright grower to 15';
large dark green leaves; large
white to yellow flowers; June
dark red fruit.

B3(2)	5-6'	5.00
-------	------	------

zabelli Red Zabel Honeysuckle
an improved strain of red
tatarian Honeysuckle.

Fl(24)	3-4'	3.50
Fl(3)	5-6'	5.00

LYCIUM

Matrimony Vine

very vigorous upright shrub
with arching branches to 10';
climbs with support; spiny

SG(10)8" cans	1½-2'	2.00
---------------	-------	------

MAGNOLIA liliflora nigra Purple

Magnolia

15-18'; rapid-growing brown-
purple flowers until late
spring; shiny leaves.

Bf(25)	2-3'	10.00
Bf(3)	3-4'	20.00

MAGNOLIA lennei

leaves broader, flowers rosy-purple outside.

Bf(16)B3(2),		
Bl(10)	3-4'	10.00
Bl(6)	4-5'	15.00

soulangiana Saucer Magnolia
20-25' flowers white inside, pink outside, in April, followed by shiny leaves

Fl(6)	2-2½'	6.50
Bf(45)	3-4'	10.00
Bf(3)	4-5'	15.00

stellata Star Magnolia
10-12' semi-double, fragrant white flowers in early April; dense compact bush; gray bark.

B3(1)	2-2½'	7.50
B3(3)	3½-4'	25.00

stellata rosea Rosy Star M.
pink flowering form of above

B3(1)	4-4½'	25.00
B3(6)	4½-5'	30.00
B3(3)	5½-6'	40.00

virgiana(glauca) Sweetbay Magnolia
to 60' fragrant flowers 3" across in May; fruits red

white-no name
B3(1) 8-9' 4" 100.00

MAHONIA aquifolium Oregon Holly
3-4' waxy holly-like leaves from green to purple-bronze in sun; yellow flowers in May blue berries.

F(2)	15-18"	6.00
B3(7)CI(30)	18-24"	8.00
B3(1)	2½-3'	15.00

MALUS arnoldiana Arnold Crab-apple

12-15' semi-double, deep pink buds to white flowers in May; yellow apples in October

B3(2)	5-6'	15.00
Fl(7)	6-7'	20.00

Almeyflowering

giant sized blossoms, fiery crimson hardy does well in any location; fruits maroon and last into winter season.

B3(17)	5-6'	15.00
CI(50)	7-8'	15.00
B3(5)	7-8'	25.00
CI(10)	8-9'	30.00
B3(1)	1½-2"	35.00

Dolgo

single white flowers, brilliant red fruit, excellent for jelly.

CI(30)	5-6'	6.00
--------	------	------

floribunda Japanese Fl. Crab.

10-15' arching, spreading, single pink flowers; yellow fruit.

W(7)B3(3) B&B	5-6'	15.00
CI(30) B.R.		6.00
W(3)F (1)B3(4)	6-7'	20.00
W(9)B3(1)	7-8'	25.00

hopa Red Flowering Crab.

15'; single deep red flowers in May; bright red fruit.

SG(2)	6-7'	12.50
W(12)	1-1½"	25.00
W(9)	1½-2"	35.00

hupehensis(theifera) Tea Crab.

15-18'; red buds, white flowers in May; yellow-green fruit in fall.

CI(30) B.R.	5-6'	6.00
W(10)B3(1)	6-7'	20.00
W(5)B3(1)	7-8'	25.00
W(1)	8-9'	35.00
Bl(1)	4"	100.00

MALUS-continued

ioensis plena Bechtel Crab.
15-18'; fragrant double pink
flowers late May.

CI(30)	B.R.	4-5'	6.00
E(2)		5-6'	15.00
Fl(1)		6-7'	20.00
B3(14)		7-8'	25.00

niedzwetzkyana Redvein /Crab.
12-15'; leaves, flowers, fruit
and bark are red-purple; flowers
in May; fruit in October.

CI(30)		5-6'	6.00
B3(5)		7-8'	25.00

parkmani Parkman Crab.
Semi-double pink compact habit
slow growing

SG(2)		4-5'	10.00
B4(10)SG(6)		5-6'	15.00

purpurea Purpleleaf Crab.
12-15'; rose-purple flowers in
mid May; red-purple fruit in
fall.

B4(1)		6-7'	20.00
-------	--	------	-------

purpurea eleyi Eley Purple
Crab.

10-15'; single, wine-red
flowers in big clusters May;
purple-red foliage

B3(1)SG(6)		5-6'	7.50
CI(30)	B.R.	5-6'	6.00
W(5)		6-7'	12.50
CI(5)	B.B.	7-8'	15.00
W(1)		8-9'	20.00
B2A(1)		7-8"	350.00

sargentii Sargent Crabapple
8-9'; white flowers in May;
red fruit along branches in
winter.

CI(30)	BR	3-5'	6.00
E(2)		2-2½"	35.00
B4(4)		8-9'	150.00

scheideckeri Scheidecker
Crab.

12-15'; semi-double pink in May;
yellow fruit in Oct. upright
habit.

E(1)Fl(1)	B&B	4-5'	10.00
CI(30)	B.R.	5-6'	6.00
W(10)B3(3)	B&B	5-6'	15.00
E(2)Fl(4)B3(3)		6-7'	20.00
W(1)Fl(4)		7-8'	25.00

spectabilis Chinese Flw.Crab
12-15'; semi-double, pink flws
May; very small yellow fruit.

CI(30)		5-6' B.R.	6.00
W(13)		5-6'	8.00
W(10)		6-7'	12.50
Fl(1)		7-8'	15.00

spectabilis rosea floraplana

Double Pink Chinese C.
To 20'; resembles dbl.pink Jap.
cherries. very fine. fruit pale
yellow.

E(6)B3(6)		5-6'	15.00
B3(1)		6-7'	20.00
B3(5)		7-8'	25.00
B3(10)		8-9'	35.00

large flow. ring crabapple

W(13)		5-6"	25.00
-------	--	------	-------

Flowering Crabapple-no name

E(2)		5-6'	15.00
E(9)		1-1½"	25.00
E(3)	marked white	1-1½"	25.00
E(1)	" "	3-3½"	60.00

MORUS alba Mulberry

25'; blackberry-like white to
purple fruit on pistillate
plants attracts birds; dense;
attractive foliage.

Fl(1)		5-6'	7.50
Fl(1)		7-8'	15.00

MYRICA Bayberry
5'; grayish fruits

SG(4)	1½-2'	3.00
B3(1)	2½-3'	4.00

NYSSA sylvatica Sourgum or
Tupelo
a small spreading tree with
brilliant fall coloring.

B3(1)Bf(14)	5-6'	10.00
-------------	------	-------

OXYDENDRUM arboreum Sourwood
30-35'; long erect bunches of
white flowers in summer; shiny
green foliage turns vivid red
in fall.

SG(6)	4-4½'	10.00
CI(30)	6-8'	12.50
B2(11)	5-6'	15.00
B2(15)	6-7'	20.00
B2(9)	7-8'	25.00
B2(1)	8-9'	35.00

PACHYSANDRA terminalis

Japanese Spurge
To 8'; evergreen, ideal ground
cover for shady places; flowers
white in terminal spikes May.

F14(700)	2½"pots	.35ea
		25.00 per C

PARTHENONCISUS tricuspidata
(veitchii)

Boston Ivy
high climbing and close clinging
vine; makes dense, flat covering;
glossy green leaves turning deep
red and yellow in fall.

F15(50)	6"pots	2.00
---------	--------	------

quinquefolia Virginia Creeper
Rapid growing vine; brilliant
autumn coloring.

CI(50)		1.50
--------	--	------

lowi Geranium Creeper
dwarf type of veitchii, with
smaller deeply cut foliage.

F15(32)CI(50)		2.00
---------------	--	------

PACHISTIMA
small evergreen shrub to 1'
ground cover; tolerates shade.

CI(100)	4-6"	1.00
F15(2)	6" p.pots	1.00

PHELODENDRON amurense

Amur Cork Tree
sturdy tree to 50'; bark of
trunk light gray; interesting
globose black fruits in broad
panicles.

CI(30)	5-6'	6.00
--------	------	------

PHILADELPHUS coronarius

Sweet Mockorange
12-15'; tall-growing; useful
for background planting;
white flowers in June.

F1(41)	3-4'	2.50
F1(10)B4(9),		
B3(1)	4-5'	3.50
B3(1)	5-6'	5.00

lemoine Lemoine Mockorange
4-5'; fragrant, semi-double
white flowers May; compact
small leaves.

B3(3)	2-3'	2.00
B4(19)	3-4'	3.00

Minnesota Snowflake
Every blossom extremely double
blooms profusely-sweet scented

W(31)	2-3'	3.00
-------	------	------

virginialis Virginial M.
8'; double pure white flowers

F1(127)	2-3'	2.00
B4(12)	3-4'	3.50

PHYSOCARPUS Ninebark
creamy white flowers in June.
vigorous; good for shady areas
Snow red seed capsules from
August on.

B3(1)	6-7'	10.00
-------	------	-------

PHOTINIA villosa Christmasberry

12-15'; glossy, dark green foliage turns brilliant red in fall. small white flowers June; red berries in fall.

W(12) 2-3' 3.50

PICEA abies(excelsa) Norway Spruce

80-150'; spreading branches, drooping branchelets; rapid grower.

B1(1) 6-7' 15.00
B1(2) 8-9' 25.00
B1(9) 9-10' 40.00
B1(4) 10-12' 60.00

All sizes in North Granby Nursery from 18" up.

glaucia alba White Spruce to 70'; leaves bluish green; needles bluish green, strongly aromatic, narrow pyramidal form.

B1(1) 3-4' 5.00
B1(1) 12-14' 100.00
B1(1) 18-20' 250.00

North Granby Nursery-5-10'

albertiana conica glauca

Dwarf Alberta Spruce narrow pyramid; slow growth with short twiggy branches. bright green foliage.

SG(9) 8" cans 10-12" 5.00
SG(2) 15-18" 6.00

pungens glauca Colorado Blue Spruce

70-80'; gray-blue stiff needles in horizontal layers; an accent plant.

Bf(2) 3½-4' 12.50
E(1) 4-4½' 15.00
Bf(2) B1(1) 4½-5' 18.00
Bf(5) B3(2) 5½-6' 25.00
Bf(1) 6½-7' 35.00
B1(1) B3(1) 8-9' 60.00
B1(1) 10-12' 100.00

pungens kosteriana Koster Blue Spruce

50-60'; intensely blue needles; branches in sweeping layers.

B3(5) 2-3' 15.00
B3(4) 3-4' 25.00
B3(6) 4-5' 35.00
B3(3) 5-6' 45.00
B3(1) 6-7' 60.00
B3(1) 8-9' 75.00

concolor

B1(1) 16-18'
B1(1) 18-20'

PIERIS floribunda Mountain

Andromeda

4-5'; white upright flower clusters in early May; dull dark evergreen.

B3(3) 8-12" 3.50
CI(50) 12-15" 6.00
B1(4) 15-18" 7.00
B2(1) CI(50) 18-24" 8.50
B1(2) 2½-3' 10.00
B3(1 spec.) 3½-4' 15.00

japonica Japanese Andromeda

6-7'; pendant white flowers in May; shiny evergreen foliage; attractive red buds all winter.

H(13) 12-15" 4.00
B1(8) 15-18" 6.00
B1(23) F1(1) B2(2),
H(7) B2A(1) CI(100) 18-24" 8.00
F1(1) B2(2) B1(20)
SG(5) 2-2½' 12.50
B2(2) B1(3) SG(4),
CI(50) 2½-3' 15.00

PINUS cembra Swiss Stone Pine

30-40'; small, tight pyramid growing to rounded tree; blue-green needles.

B2(1) 4-5' 25.00
B2(3) 5-6' 35.00

PINUS korean

Korean Pine

Bf(1)	4-5'	20.00
Bf(2)	5-6'	30.00

montana mughus Mugho Swiss P.
Evergreen; forms a round-topped
clump; useful for rock plant-
ing and foundation work.

B3(1)CI(10)	12-15"	5.00
-------------	--------	------

nigra austriaca Austrian Pine
50-75'; dark gray-green needles
succeeds in poor soil, even sea
shore.

SG(3)E(22)	2½-3'	7.50
B3(1)B2(1)	5½-6'	25.00
W(1)B2(4)	7-8'	40.00
B2(1)	8-9'	60.00

resinosa Red Pine
60-70'; dark, long needles; very
rugged; not subject to pine
blister rust.

W(1)	6-7'	18.00
W(2)	7-8'	25.00
W(1)Fa(11)	9-10'	50.00
Fa(29)	10-12'	60.00
B1(1)Fa(8)	12-14'	75.00
Fa(4)	14-16'	85.00

All sizes at North Granby
Nursery.

sylvestris Scotch Pine
Evergreen; a rapid growing,
handsome tree, especially
when young. Good for wind-
breaks

Bf(6)	3-4'	10.00
Bf(3)	5-6'	25.00
Bf(4)	6-7'	30.00
Bf(8)	7-8'	35.00

Smaller sizes in North Granby
Nursery

PINUS strobus

White Pine

80-100'; soft blue-green
needles; pretty irregular
pyramidal shape.

Bf(2)SG(6)	2-2½'	4.00
Bf(1)	2½-3'	5.00
Bf(4)F1(6),		
SG(8)	3-4'	6.00
Bf(13)F1(5),		
W(10)SG(8)	4-5'	8.00
Bf(25)F1(2),		
W(13)	5-6'	15.00
W(5)B1(2)Fa(58)	9-10'	50.00
W(22)B3(4)Fa(36)	10-12'	60.00
W(24)B1(8)Fa(14)	12-14'	75.00
W(28)Fa(7)	14-16'	90.00
W(26)Fa(2)	16-18'	125.00
W(13)	18-20'	150.00

thunbergi Japanese Black Pine
30'; dense rounded tree; long,
sharp pointed bluish green
needles.

E(18)	2-2½'	8.00
E(22)	3-4'	9.00

PLATANUS orientalis Oriental
or Planetree
acerifolium

90'; broad round head; leaves
broad wedge-shaped; globular
fruits in clusters of 2 to 4.

W(6)	8-10'	1-1½"	15.00
Bf(1)W(4)B3(1)	1½-2"		25.00
W(27)	2-2½"		35.00
Bf(2)W(12)	2½-3"		60.00
Bf(10)W(7)B3(1)	3-3½"		70.00
Bf(17)W(3)	3½-4"		80.00
Bf(2)	4-4½"		100.00

POLYGONUM auberti Silverlace
Vine

40-50'; quick-growing vine;
fleecey white flowers in late
Aug. Sept.

F21(17)	3.50
F21(12) large pots	3.50

POPULUS bolleana Bolleana Poplar
Leaves white underneath. columnar habit; good for screens.

W(1)	1½-2"	5.00
W(2)	2½-3"	7.50

nigra italica Lombardy Poplar
Tall, spire-like; good for landscape work and screens

CI(10)	8-10'	4.00
--------	-------	------

POTENTILLA fruticosa Shrubby Cinquefoil
3': graceful shrub in sunny place loads of yellow flowers June-Nov.

SG(18)	8" cans	2.50
--------	---------	------

fruticosa Snow Drop
CI(30) potted 3.50

PRUNUS cerasifera pissardi
Purpleleaf Plum

E(1)	4-5'	25.00
------	------	-------

cistena Cistena Plum

CI(20)	18-24"	2.00
--------	--------	------

maritima Beach Plum
small white flowers; April; ideal for sandy soil and sea-side planting, Edible fruit.

CI(20)		2.00
--------	--	------

Thundercloud Purple Leaf Flowering Plum
Rich, purple foliage; single pink flowers.

CI(20)	5-6'	8.00
B3(14)	7-8'	10.00

PRUNUS-continued

glandulosa Almond Cherry
4-5': pink and white flowers early April.

--alba White Almond Cherry

CI(50)	1½-2'	2.50
W(8)	2½-3'	3.50

--rosea Pink Almond Cherry

CI(50)	1½-2'	2.50
B3(2)CI(50)	2½-3'	3.50

persica Double Flw. Peach
12': double white, pink or red flowers in April and May

E(1)	5-6'	8.00
B3(2) pink	5-6'	8.00
B3(2) white	5-6'	8.00
B3(15) red	6-7'	10.00
Fl(1)	2-2½"	15.00

serrulata Kwanzan dbl.
Pink Flowering Cherry
25': upright spreading branches large double, deep pink flower April-May

W(3)	4-5'	8.00
W(5)Fl(1)E(27)		
B4(10)	5-6'	10.00
W(1)B3(4)	6-7'	15.00
W(3)B3(3)	7-8'	20.00
W(1)Fl(6)	1-1½"	25.00
W(1)Fl(10)	1½-2"	30.00
Fl(4)	2-2½"	40.00
Fl(2)	2½-3"	50.00

serrulata Mount Fuji
Double White Flw. Cherry
25': double white flower in May

B3(9)	5-6'	10.00
-------	------	-------

serrulata Paul Wohlert
like Kwanzan only dwarf

Fl(6)	1"	6-7'	15.00
Fl(1)		7-8'	20.00

PRUNUS-continued

subhirtella pendula Weeping
Cherry
20-25'; single light pink;
April.

B3(16) 1½-2" 15.00
B3(6) 2-2½" 20.00

subhirtella pendula flora
plena

E(50) 5-6' 12.00
W(13) 6' 18.00
B2(3) 9/10" 6' 300.00

triloba plena Dbl. Flowering
Plum.
7-8'; bright pink double
flowers on each branch in May
before the leaves.

B3(30) 3-4' 5.00
CI(50) B.R. 4-5' 4.50

yedoensis Yoshino Cherry
45'; a hybrid between subhirtella
and serrulata; pale pink flowers
March-April.

Fl(2) 1-1½" 25.00
Fl(5) 1½-2" 30.00
Fl(5) 2-2½" 35.00

PSEUDOTSUGA taxifolia (douglasi)
Douglas Fir

See Appies -page 1

PYRACANTHA coccinea lalandi
Firethorn

15-18'; white flowers May-
June; orange red berries Oct.
in large clusters persisting
all winter semi-evergreen
foliage; may be separated.

SG(3)F21(80)1½-2'
in 6" cans 3.50
SG(5) 2-2½' 6.00

PYRACANTHA rogersiana
Rogers Firethorn

F21(14) 6" cans 15-18" 3.50

QUERCUS coccinea Scarlet Oak
80-90'; round headed; deeply
cut foliage; scarlet in fall.

Bf(21) 7-8' 10.00
CI(30) 8-10' 13.50
B4(1) 2½-3" 50.00
B4(3) 10-11" 650.00
B4(1) 11-12" 700.00

palustris Pin Oak
70-80'; symmetrical pyramidal
head; deep cut leaves; scarlet
in fall.

CI(50) 1½-2" 20.00
Fl(4)B3(1) 2-2½" 35.00
Fl(10) 2½-3" 50.00
Fl(6)B3(1) 3-3½" 75.00
Fl(3) 3½-4" 100.00
B4(1) 11-12" 700.00
B4(1)B1(1) 12-13"
B1(1)B3(1) 14-15"
B1(1) 15-16"
B1(1)B3(2) 18-20"

phellos Willow Oak

W(4) 1½-2" 20.00
W(1) 2-2½" 25.00
W(3) 2½-3" 40.00
B2A(1) 3-3½" 50.00

rubra borealis Red Oak
70-80'; pink leaves in early
spring; to glossy green to
crimson in fall; wide-spreading
irregular outline.

Fl(2)Bf(21) 6-8' 7.50
Bf(25) 8-9' 10.00
W(31)Fl(1) 1-1½" 20.00
W(5) 1½-2" 25.00
B4(1) 11-12" 700.00

RHAMNUS cathartica Common Buck-

thorn

10-12'; succeeds in trying conditions of shade and dry soil; used for hedge.

Bf(23)	5-6'	5.00
Bf(3)	6-7'	6.00
Bf(5)	7-8'	7.00

frangula Glossy Buckthorn
excellent foliage; red berries turning black when ripe. Very hardy.

E(10)Bf(6)	5-6'	5.00
E(4)Bf(2)	6-7'	6.00
E(12)	7-8'	7.00

RHODODENDRON carolinianum

Carolina Rhododendron

5-6'; delicate pink in May; small oval evergreen foliage;

B1(1)	12-15"	5.00
B3(1)B1(1)		
SG(4)CI(50)	15-18"	6.00
B3(1)H(6)B1(7)		
CI(25)	18-24"	7.50
B1(4)	2-2½'	9.00
B1(2)	2½-3'	11.00

catawbiense Catawba Rhod.
8-10'; rosy-purple flowers in May and early June; large buds in fall; medium-sized evergreen leaves.

B1(1)	1-1½'	6.00
B1(5)	1½-2'	8.00
B2(1)B1(5)	2-2½'	10.00
B1(10)E(26)	2½-3'	15.00
E(4)SG(1)	3-4'	18.00

maximum Rosebay Rhodo.
12-15'; pale pink flowers late June; large leathery leaves.

B2(3)B1(2)	15-18"	5.00
B3(2)B2(19)		
B1(4)	18-24"	6.00
B3(3)B2(28)		
B1(5)EI(25)	2-2½'	8.00

continued

B2(40)Bk(15)	2½-3'	9.00
B2(12)BI(3)		
CI(25)	3-3½'	12.00
B2(13)B1(4)	3½-4'	15.00
B2(8)CI(25)	4-4½'	18.00
E2(12)	4½-5'	20.00
B2(15)CI(25)	5½-6'	25.00
B2(2)	6-7'	35.00
B2(2)	7-8'	50.00
B2(1)	10-11'	75.00

album elegans

light bluish buds opening to pure white flowers; tall, vigorous grower.

B3(4)	2-2½'	12.50
B3(1)	2½-3'	15.00
B3(2)	3-3½'	20.00
H(14)B2A(1)	3½-4'	35.00
B3(1)	5-6'	60.00

Boule de Neige Snowball Rhodo.
4-5'; dwarf; retains its irregular mounded outline; light green leaves.

CI(20)	12-15"	8.00
B2A(2)	15-18"	10.00
SG(1)	18-24"	12.50

catawbiense alba

6-8'; white, slight pink tinge; fine foliage.

B2A(4)	18-24"	10.00
B2A(1)	2-2½'	15.00
H(1)B2A(1)	2½-3'	20.00

catawbiense grandiflora-
lavender-pink

H(13)	2-2½'	12.50
SG(2)	2½-3'	15.00
H(2)	3½-4'	35.00

HYBRIDS

No name		
B2(5)F9(12)	1-1½'	6.00
B2(7)	1½-2'	9.00
B2(8)	2-2½'	15.00
B1(3)	2½-3'	18.00
B2(3)	3-3½'	25.00

THE PETER CASCIO NURSERY
2000 ALBANY AVENUE
WEST HARTFORD 7, CONNECTICUT.

RHODODENDRON-continued

HYBRIDS

Boursault -lavender

SG(1)	2½-3'	12.50
SG(2)	3-3½'	15.00
SG(1)	3½-4'	18.00

Cunningham-white

F19(46)	15-18"	8.00
---------	--------	------

Dr. H. C. Dresselhuys

6-8'; dark red; large cluster flowers.

SG(2)	12-15"	7.50
F19(26)CI-10	15-18"	9.00
H(1)	1½-2'	12.00
H(2)SG(4)	2-2½'	14.00
H(12)	2½-3'	20.00

Lees-dark purple

B3(5)H(1)	2-2½'	14.00
-----------	-------	-------

Mme. Carvalho-white

CI(10)	18-24"	12.00
B2A(2)	2-2½'	14.00
B2A(5)	2½-3'	20.00

Mrs. P. den Ouden-dwarf red

CI(10)	15-18"	9.00
--------	--------	------

Parsons glorisum-bluish lilac

B2A(3)	1½-2'	12.00
B2A(4)	2-2½'	14.00
B2A(2)	2½-3'	20.00

Purity-white

B2A(2)	1-1½'	8.00
B2A(3)SG(1)	1½-2'	10.00
B2A(3)	2-2½'	15.00
B2A(3)	2½-3'	20.00

roseum elegans

8-10'; rose-pink, huge clusters compact.

F9(10)	15-18"	6.00
H(1)B2A(1)	18-24"	10.00
B3(1)H(16),		
B2A(2)	2-2½'	15.00
H(2)B2A(1)	2½-3'	20.00

English roseum-deep pink

H(2)	2½-3'	20.00
------	-------	-------

roseum superbum

6-8'; soft rose-pink-compact.

B2A(3)	2½-3'	20.00
B2A(3)	3-4'	25.00

Van der Hoope-carmine red

F19(50)	15-18"	6.00
---------	--------	------

wilsoni-pink

B3(9)	12-15"	5.00
-------	--------	------

RHODOTYPOS scandens(kerrioides)

Jetbead

5-6'; pure white flowers in May; June: 4 berry clusters of shiny black fruit.

B4(25)F1(2)	2-3'	2.00
B4(67)B3(35)	3-4'	2.50
B3(8)	4-5'	3.00

RHUS cotinus Common Smoke Tree

14-15'; large panicles of feathery, filmy smoke appearing flowers.

B4(29)B3(1)	3-4'	5.00
B4(1)	5-6'	15.00

cotinus-Royal Purple

Purple Leaved Smokebush

CI(10)	3-4'	7.50
--------	------	------

RIBES odoratum Clove Currant
yellow blossom

B4(10) 3-4' 2.00

caprea Goat Willow
15-20' very desirable for
spring effects. will do well in
dry as well as wet locations.

CI(20) 4-5' 2.50

ROBINIA pseudoacacia umbraculifera
Globe Locust

CI(30) 6'stem 10.00

SCIADOPITYS umbellata(verticillata)

Japanese Umbrella Pine

20-25' dense pyramidal head;
long dark whorled evergreen
leaves unusual.

ROSA

Agnes

B3(4) 4-5' 5.00

B1(1) 11' 150.00
B1(1) 12' 175.00
B1(4) 13' 200.00
B1(1) 14' 225.00
B1(1) 16' 275.00
B1(2) 18' 300.00

harrisoni Harrison Yellow
6-8' many small, semi-double
flowers in May and June

B3(1) 6-7' 10.00

SORBUS aucuparia Mountain Ash

25-30' round symmetrical head;
fine foliage turns orange-red
in fall; white flowers in May;
huge clusters of orange fruit
in Oct.

hugonis Hugo Rose
8' bright yellow single flowers
May: fine textured foliage.

F15(12) paper pots 2.00
F1(50) 3-4' 3.50

W(3)B3(8) 1½-2" 20.00
W(2)B3(8) 2-2½" 30.00
B3(4) 8-9' 35.00

rugosa Rugosa Rose
5' single rich pink flowers
in June to Oct. red fruit.

F1(7) 2-3' 3.00
B4(9)F1(35) 3-4' 4.00
B1(13) 4-5' 5.00

SPIREA bumalda Anthony Waterer
3' rose pink flowers July.

B3(77) 18-24" 2.00
Bf(2) 2½-3' 2.50

SALIX alba vitellina(niobe)
Yellowstem Weeping Willow
To 50' very yellow branches in
early spring; bright green leaves.

SPIREA prunifolia Bridalwreath

7-8' small white flowers in
May; foliage orange-scarlet in
fall.

E(23) 1" 5.00
E(28) 1½-2" 7.50
B3(18) 7-8' 10.00
B3(11) 8-9' 15.00

W(74)B3(3) 2-3' 2.50
B2(2)B3(27) 3-4' 3.50

reevesiana(cantoniensis)

Reeves Spirea

7-8' pure white flowers May-
June; graceful arching, retains
leaves until late.

babylonica Babylon Weeping W.
One of the best weepers. Long
pendulous branches

B4(26) 10-12' 7.50

CI(20) 2-3' 2.00
B3(1) 3-4' 2.50
B3(5) 4-5' 3.50

SPIREA-continued

thunbergi Thunberg Spirea
5-6'; many white flowers in April.

B4(10) 2-3' 2.50

vanhouttei VanHoutte Spirea
6-7'; white flower clusters late May and June; graceful nodding branches of soft gray-green foliage.

CI(100) 2-3' 1.50
Fl(20) 2-3' 2.00
B3(5)B4(7),
Fl(10) 3-4' 2.50

STEPHANANDRA flexuosa Cutleaf
Stephenandra
5-6'; small clusters white flowers in June; glossy fine foliage.

B4(18) 2-3' 2.50

STYRAX japonica Japanese Snow-
bell
30'; wide spreading shrub or tree; small waxy-white pendulous flowers, early June; interesting fruit.

B3(2) 5-6' 15.00

SYMPHORICARPOS chenaulti
Chenault Coralberry
6-8'; small pink flowers followed in fall by coral berries along arching branches.

B3(42) 3-4' 2.50

racemosus Snowberry
4-5'; clusters of white berries Sept. Oct; good in half shade and moist locations.

B3(15) 3-4' 2.00

SYMPLOCUS paniculata Sapphireberry
Sweetleaf
25-40'; tall, wide spreading shrub; small clusters white fragrant flowers in late May bright blue berries.

B4(11) 4-5' 5.00

SYRINGA amurensis japonica
Japanese Tree Lilac
18-20'; creamy white flowers in large pyramidal heads mid June; trunk and older branches have cherry-like bark.

Bf(3) 3-4' 3.50
Bf(30)B1(21) 4-5' 4.50
B3(1) 5-6' 7.50
B3(2) 6-7' 10.00
B3(1) 7-8' 15.00

persica laciniata Cutleaf
Persian Lilac

W(22)Fl(26),
SG(1) 2-3' 3.50
Fl(55)SG(2) 3-4' 5.00

villosa Late Lilac
pale pinkish-lilac, fragrant, compact bushy habit.

B4(2) 3-4' 2.50
Bf(8) 6-7' 10.00

vulgaris Common Purple L.
12-15'; large clusters of fragrant lavender flowers in May.

W(10)Fl(46),
SG(1) 3-4' 4.00

vulgaris alba White Lilac
Fragrant, white single flowers May.

Fl(21) 2-3' 3.25
W(28)Fl(23),
B3(3)SG(2) 3-4' 4.25

SYRINGA- continued

iosikaea Hungarian Lilac
15' pale violet blossoms.
June-July

F1(1) 4-5' 5.00

HYBRIDS-No Name

Bf(10)B4(11)
SG(12) 3½-4' 6.00
Bf(5) 4½-5' 7.50
B4(9)B3(1 white)9/10' 35.00

Alphonse Laval-double lilac

B3(2) 3-4' 7.50
B3(21) 4-5' 10.00
B3(3) 5-6' 12.00

Angulata-purple

B3(7)B3(1) 2-3' 3.50
B3(7) 3-4' 7.50
B3(2) 4-5' 10.00
B3(1) 5-6' 12.00

Clarke's Giant-large single
gentian blue

Bf(2) 5-6' 12.00

Congo-dark purple

Bf(6) 2-3' 3.50

Esther Staley-single pure pink

Bf(2) 2-3' 5.00
Bf(2) 3-4' 7.50
Bf(1)B3(4) 4-5' 10.00

F. Morel-single red

Bf(16) 2-3' 3.50

Ludwig Spaeth-single dark purple-
red

CI(10) 2-3' 3.50
Bf(7) 3-4' 7.50

SYRINGA-continued

HYBRIDS

Mme. Michel Buchner-double lilac

Bf(15)SG(1) 2-3' 3.50

Mme. Lemoine-large,dbl.white

CI(10) 2-3' 3.50
B3(12)SG(1) 3-4' 7.50
B3(2) 4-5' 10.00

President Lincoln-single deep
wedgewood blue

Bf(11)B3(1) 2-3' 3.50
B3(3) 3-4' 7.50
Bf(5) 4-5' 10.00

President Poincare-dbl. red-
purple buds open large lavender

Bf(15) 2-3' 3.50

Henry Letuce -single light violet

Bf(3) 2-3' 3.50
Bf(5) 3-4' 7.50

Reamur -dwarf single red

CI(10) 203' 3.50

Ruhm von Horstenstein-sgl.magenta

B3(2) 2-3' 3.50
Bf(5)B3(10) 3-4' 7.50

Vestale-single white

Bf(1) 2-3' 3.50
Bf(3) 3-4' 7.50

Vulcan-dark purple

B3(8) 3-4' 7.50

TAMARIX parviflora
Small flowered tamarix

F1(24) 2-3' 2.50

TAXUS baccata repandens-Spreading
English Yew

2-3': very dark evergreen; low
spreading branches.

B2(37)E1(24) 12-15" 6.60
B3(1)SG(1) 15-18" 7.50
B3(1) 2-2½' 10.00
B1(1) 4-4½' 50.00
B1(1) 4½-5' 60.00

cuspidata Spreading Jap.Yew
12-15'; high 15-18" wide; dark
evergreen pistillate plants
with brilliant crimson berries
in fall.

F19(35) 3"pots .50
Bf(877)F1(14) 12-15" 2.50
B2(140) 15-18" 5.00
Bf(1210)F1(63) 15-18" 7.50
B2(10) 15-18" 7.50
CI(100) 18-24" 7.50
B1(70)B3(1)B2(1) 3-3½' 20.00
SG(10) 3½-4' 25.00
Bf(1)F1(8)B3(3) 4½-5' 35.00
B2(12)B2(2) 5½-6' 40.00
B3(16)B2(14) 6½-7' 60.00
W(2)E(1)H(1) 7-8' 70.00
B2(3) 8-9' 80.00
E(4)B3(5)B2(2) 9-10' 90.00
B3(1) 6'x12' 110.00
B3(2)B2(1) 7'x11' 100.00
B3(2) 8'x12' 110.00
B3(1) 7-8' 70.00
B3(2)B1(3) 8-9' 80.00
B3(1) 9-10' 90.00
H(1) 6'x12' 110.00
B1(1) 7'x11' 100.00
B1(3) 8'x12' 110.00

cuspidata capitata Upright Yew
20-25'; thick pyramid bark
green foliage.

B2(3) 1½-2' 7.50
B2(14) 2-2½' 8.50
B2(9) 2½-3' 12.50
B3(1)B2(10), 3-3½' 15.00
SG(1)

continued

cuspidata capitata-cont.

E(2)B2(1), 3½-4' 20.00
SG(1) 4-4½' 25.00
B2(4)
E(1)B3(3)B1(3), 4½-5' 35.00
B2(15) 5-5½' 40.00
B2(6)
B2(9)E(11), 5½-6' 45.00
B3(2)B1(7) 6-6½' 50.00
B2(1) 6½-7' 60.00
E(8)B1(9)B2(3) 7-8' 70.00
B3(1)B1(5)B2(1) 8-9' 80.00
B3(1)B1(1) 9-10' 90.00
B3(2)B1(1) 10-11' 100.00
B3(2)B1(2) 11-12' 125.00
B1(1)

cuspidata densiformis Dense
Japanese Yew
4-5': low dense; with ascending
branches.

Bf(485) 8-12" 1.00
CI(50) 12-15" 6.50
B3(5) 15-18" 7.50
B2(4) 18-24" 8.00
B2(8) 2-2½' 10.00
B2(1) 2½-3' 12.00
B2(3) 3-3½' 15.00
B3(1) 3½-4' 20.00

brevifolia nana Dwarf Jap.Yew
5-6'; slow growing spreading
shrub; dark green foliage; good
for hedges.

Bf(1355)SG(1) 8-12" 2.50
CI(550) 12-15" 7.50
SG(2)B3(15)B1(1), 15-18" 9.00
B2(15)CI(250) 18-24" 12.00
B3(11)B2(26), 2-2½' 16.00
SG(2) 3-3½' 22.50
B3(10)B2(26), 3-3½' 30.00
B3(3) 3½-4' 40.00
B3(5)B2(11), 4-4½' 50.00
E(1) 4½-5' 60.00
B2(2)B3(17) 5½-6' 90.00
B2(1)B2(2) 7-8' 100.00
B2(1)B3(4)
B3(3)
B3(4)
B3(1)

TAXUS cuspidata nana erecta

Upright

Dwarf Yew

4' upright form of dwarf yew

Bf(71) 10-12" 1.00

cuspidata vermeulen Vermeulen

Yew

upright vase-shaped, good green throughout winter.

Bf(154) 8-12" 1.00

W(1) 15-18" 5.00

W(22) 2-2½' 8.00

W(31) 2½-3' 10.00

W(12) 3-3½' 15.00

W(3) 3½-4' 20.00

media Cascio globe

B1(6) 4-5' 60.00

media browni Browns Yew

10-12' broad upright bushy dark green all winter.

Bf(375) 12-15" 1.00

CI(30) 12-15" 6.25

W(12)SG(1) 18-24" 9.00

W(45)B2(1), 2-2½' 12.00

SG(1) 2½-3' 15.00

W(32) 2½-3' 15.00

media hatfieldi Hatfield Yew

10-12' cone shaped compact with red berries in fall.

Bf(42) 8-10" 1.50

Bf(2217) 12-15" 3.50

Bf(1040) 15-18" 4.50

Bf(685) 18-24" 5.00

CI(100) 18-24" 8.00

CI(60) 18-24"spec. 12.50

W(4)SG(5) 2-2½' 10.00

CI(40) 2-2½'spec. 15.00

W(14)B3(2), 2½-3' 15.00

B2(4) 3-3½' 20.00

W(34)B3(2), 3-3½' 20.00

B2(2) 3-3½' 20.00

W(38)B3(3), 3½-4' 25.00

B1(1)B2(4) 4-4½' 30.00

W(7)B2(3) 4½-5' 40.00

B3(4)B2(3) 5-5½' 50.00

B2(1) 5-5½' 50.00

media hatfieldi-continued

B3(2)B1(3)B2(3) 5½-6' 60.00

B2(3) 6-6½' 70.00

B3(1)H(1) 7½-8' 100.00

B3(1) 8-8½' 125.00

media hummewelli

F1(2) 1-1½' 7.50

F1(4) 1½-2' 10.00

media hicksi Hicks Yew

20-25' upright column with dark green leaves planted closely makes good hedge.

Bf(1100) 12-15" .75

B1(1)CI(100) 18-24" 7.50

B1(5)SG(10) 2-2½' 8.50

B1(12) 2½-3' 12.00

B1(13) 3-3½' 15.00

B1(8)B2(4)SG(1) 3½-4' 20.00

W(2)B1(3)B2(6) 4-4½' 25.00

W(2)B2(8) 4½-5' 35.00

W(1)B2(1) 5-5½' 45.00

W(1)B2(7) 5½-6' 55.00

B2(5) 6-6½' 65.00

B1(1) 6½-7' 70.00

B1(1) 7½-8' 80.00

B2(3) 8½-9' 90.00

B1(1) 9-10' 100.00

B1(3) 12-14' 150.00

media moons columnaris

F-19(110) 2" pots .25

Bf(100) 10-12" 1.00

intermedia Hybrid Yew

hybrid between baccata and cuspidata

Bf(720) 12-15" 1.00

B3(12)B2(17), 15-18" 7.50

Bf(53) 15-18" 7.50

F1(11)B1(1), 18-24" 8.00

B2(19)Bf(36)SG(1) 18-24" 8.00

F1(3)B2(13)Bf(5) 2-2½' 10.00

B1(2)B2(7)Bf(2) 2½-3' 12.00

B1(6) 3-3½' 15.00

B2(1)Bf(10) 4-4½' 35.00

B3(1) 4½-5' 60.00

B3(5) 5½-6' 75.00

B3(1) 6-7' 100.00

TAXUS-continued

intermedia spaechi

CI(200)	12-15"	6.75
CI(50)	15-18"	8.75

Wyman's Globe

E(18)	18-24"	5.00
-------	--------	------

THUJA occidentalis nigra

Dark American Arborvitae
15-30'; deep green, compact,
pyramidal; for formal work
and hedges.

Bf(147)	15-18"	1.50
Bf(371)E(7)	2-2½'	3.50
Ef(101)	2½-3'	4.50
E(65)	3-3½'	6.00
E(50)	4-5'	9.00
Bl(200)	14-16'	50.00

globosa compacta Globe
Arborvitae
globe shape-rich green

CI(10)	15-18"	4.00
--------	--------	------

TILIA americana American Linden
grows rather quickly forming
an open head; fragrant yellow
flowers

W(3)Fl(2)	1-1½"	15.00
W(9)Fl(2),		
B3(2)	1½-2"	20.00
W(2)Fl(1),		
B3(1)	2-2½"	30.00
B3(3)	2½-3"	40.00
Fl(1)B3(5)	3-3½"	60.00

cordata Littleleaf European
Linden
70-80'; dark green leaves
both summer and fall; low-
headed lawn tree.

W(5)	1-1½"	15.00
CI(30)	1-1½"	10.00
W(4)Fl(4)	1½-2"	20.00
W(1)	2-2½"	30.00

continued

E(1)	6-7"	250.00
B4(1)	7-8"	300.00
Bl(3)	8-9"	375.00
B4(1)	9-10"	400.00
B4(1)	10-11"	500.00

tomentosa Silver Linden
handsome dense-headed tree
that will withstand heat and
drought; leaves dark green
above-white beneath.

Fl(15)	2-2½"	35.00
B3(1)	5-5½"	150.00

TSUGA canadensis

Canadian
Hemlock

75-90'; pyramidal, fine-textured
dark silvery-green leaves; stand
shearing well; fine for hedges.

CI(1000)	10-12"	1.50
Bf(26)	12-15"	1.50
Bf(4)	15-18"	3.50
W(84)Bf(103)	18-24"	5.50
CI(50)extra heavy	18-24"	7.50
W(111)Bf(3)	2-2½'	6.50
W(97)CI(30)	2-3'	8.50
CI(25)extra hvy	2½-3'	12.00
Fl(3)W(114)SG(2)	3-3½'	10.50
Bl(2)Fl(10)W(150),		
B3(2)SG(1)	3½-4'	13.00
W(100)	4-4½'	14.00
W(134)SG(1),		
Bl(3)	4½-5'	16.00
W(79)	5-5½'	18.00
W(60)Bl(5)	5½-6'	20.00
W(2)	6-6½'	24.00
W(3)Bl(2)	6½-7'	28.00
W(1)Bl(5)	7-8'	35.00
Bl(7)	8-9'	50.00
Bl(12)	9-10'	70.00
Bl(9)	10-12'	90.00
Bl(4)	12-14'	100.00
Bl(3)	15-16'	125.00
Bl(2)	16-18'	150.00
Bl(5)	18-20'	200.00
Bl(1)	20-22'	250.00
Bl(1)	22-24'	275.00

TSUGA carolinianum Carolina Hemlock

75-90': pyramidal, soft feathery textured; stands city conditions well; dark green foliage; beautiful specimen

SG(1)	3-3½'	9.00
B1(1)	4½-5'	15.00
B1(1)	5½-6'	18.00
B1(2)	6-7'	35.00
B1(6)	7-8'	50.00
B1(3)	8-9'	60.00
B1(5)	9-10'	90.00
B1(1) B3(1)	10-11'	100.00
B1(2)	12-14'	150.00
B1(2)	14-16'	225.00
B1(1)	16-18'	250.00

pomfreta (dwarf) Pomfret Hemlock
25': much darker, dense green foliage; erect growing.

B1(1)	14-16"	100.00
-------	--------	--------

pendula sargentii

B3(6)	2-2½'	18.00
B3(1)	6-7' spec.	100.00

ULMUS carpinifolia Buisman Elm
Reported as not susceptible to Dutch Elm Disease.

W(173)	3-4'	3.50
W(44)	4-5'	5.00
W(22)	5-6'	7.50
W(10)	6-7'	10.00
W(4)	7-8'	12.50

procera English Elm
more resistant to Dutch Elm disease

Bf(10)	8-10'	15.00
--------	-------	-------

Augustine Ascending Elm "King of the Elm"

B3(5)	8-9'	20.00
-------	------	-------

VIBURNUM americanum (trilobum) American Cranberrybush Viburnum

8-9': good foliage; bright scarlet berries.

W(44)	2-3'	3.00
B3(1)	4-5'	5.00

burkwoodi Burkwood Viburnum
4-5': pink to white flowers in May; very fragrant

CI(25)	15-18"	4.00
B3(1)	2-3'	8.00
B3(1)	3-4'	10.00
Bf(1)	4-5'	15.00

carlecephalum Fragrant Snowball V.

6-7': fragrant, large clusters white flowers; bright foliage in fall.

Bf(2)	2-3'	9.00
B3(2) Bf(4)	3-4'	12.00
Bf(1)	4-5'	15.00

carlesi Korean Spice Viburnum
5-6': soft pink fragrant flower in May; velvety red.

B3(9)	18-24"	5.00
SG(2)	2-2½'	6.00
W(2) E(27)		
Bf(1) B3(3)	2½-3'	7.50
B3(4)	3-3½'	9.00
Bf(1)	4½-5'	25.00

cassanoides Withe-rod V.
6-8': white flowers in June; fruit changing from pale green to red, purple and black in Oct.

F1(11) B4(3)	2½-3'	2.50
F1(53)	3-4'	3.50
B4(24) Bf(10)	4-5'	5.00

VIBURNUM dentatum Arrowwood V.

6-8'; white flowers in May;
June, blue black berries in
Sept. Oct. foliage red-purple
in fall.

B4(15)E(4),		
B3(5)	3-4'	3.00
B4(1)E(5),		
B3(9)	4-5'	5.00
E(1)	6-7'	7.50

dilatatum Linden Viburnum

6-8'; white flowers in May,
June bright red berries in
clusters in fall.

B4(2)	3-4'	4.50
-------	------	------

fragrans Fragrant Viburnum

9'; very early bloomer; deep
pink.

F1(1)Bf(43),		
B4(9)	3-4'	5.00

juddi Judd Viburnum
improved carlesi

B3(3)	2½--3'	8.00
-------	--------	------

opulus nana Dwarf Cranberrybush

1-2'; compact, dwarf; never
flowers.

B3(22)	6-9"high	2.50
--------	----------	------

opulus sterile Snowballbush

white flowers, May, June-very
showy.

B3(5)B4(17)	3-4'	3.50
B3(1)B3(17)	4-5'	5.00

prunifolium Black Haw Vib.

12-15'; pure white flowers in
May; pink fruit turning black;
fine for screens and tall
hedges.

B3(7)	5-6'	7.50
-------	------	------

setigerum(theiferum) Tea V.

12'; white flowers in May, June
red fruit in fall.

SC(2)	3-3½'	3.50
Fl(5)	3-4'	4.00

sieboldi Siebold Viburnum

8-10'; creamy white flowers
in May; June: red berries
changing to black.

F1(1)	18-24"	2.50
W(23)B4(13)	2-3'	3.00
F1(2)	3-4'	3.50
B4(1)	11-12'	100.00

tomentosum Doublefile Viburnum

10'; white flowers along broad
horizontal branches; red to
black berries.

W(31)B4(1),		
B3(20)	2-3'	3.00
B4(31)F1(1)	3-4'	4.00
B4(10)B3(1)	4-5'	6.00

tomentosum plicatum Japanese

Snowball Viburnum
6-8'; white "snowballs" flowers
in June; dull red fall color.

B3(1)	4-5'	6.00
-------	------	------

wrighti Wright Viburnum

a native of Japan; upright
habit; bright scarlet fruits
produced abundantly.

B3(2)	2-3'	6.50
-------	------	------

VINCA minor Periwinkle or

Myrtle
trailing evergreen, glossy
foliage, blue flowers in
spring, good ground cover in
sun or shade.

F25(360)	35¢ each
F27(150)	25.00 per C

VINCA- Bowles variety
F30(700) 55¢ ea. 45.00 per C

VITEX latifolia(macrophylla)
Hardy Lilac Chastetree
5-6'; lavender-blue flowers
in Sept.
F1(8) 3' 3.00

WEIGELA amabilis

Bf(2) 3-4' 3.50

Bristol Ruby

B4(33) 4-5' 3.50

candida-showy white blossoms
May-June

B4(10) 3-4' 3.50

Gustav Mallot rose-red
5-6' June-Aug. good grower

B3(1) 4-5' 3.50

rosea Pink Weigela
6-8' pink flowers in June

B4(13) 3-4' 2.50
B4(70) 4-5' 3.50

vaniceki Vanicek Red W.
deep crimson flowers

B3(3) 3-4' 2.00
B4(77) 4-5' 3.50

WISTERIA sinensis Chinese W.
30'; purple flowers May;
strong.

SG(35) 8" cans 5.00

Wisteria
chinensis tree form W.
B3(1) 20.00

pink- SG(19) heavy in
baskets 10.00

white-
SG(14) large cans 6.50
SG(28) 8" cans 5.00

ZELKOVA serrata Japanese
Zelkova
medium-sized tree with foliage
growth habit much like Amer.
Elm but not susceptible to
Dutch Elm disease. Rare and
very desirable shade tree.

CI(30) 5-6' 7.50

THE PETER CASCIO NURSERY
2600 ALBANY AVENUE
WEST HARTFORD 7, CONNECTICUT.

1. The first part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

2. The second part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

3. The third part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

4. The fourth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

5. The fifth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

6. The sixth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

7. The seventh part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

8. The eighth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

9. The ninth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

10. The tenth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

11. The eleventh part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

12. The twelfth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

13. The thirteenth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

14. The fourteenth part of the document is a list of the names of the persons who have been appointed to the various positions of the Board of Directors of the Corporation.

F R U I T

APPLES

R.I. Greening(are self fertile)

<u>Baldwin</u> -bright red(self fertile)	SG(5)	5-6'	3.50
	SG(4)	6'	3.50

CI(10)	11/16"	2.50
B3(3)	7-8'	10.00

<u>Cortland</u> -SG(2)	4-5'	2.50
SG(1)	5-6'	3.50

Delicious-dark red, winter

CI(10)	11/16"	2.50
SG(1)	6-7'	3.50
Bf(1)	8-9'	15.00

Grimes Golden

B3(1)SG(1)	7-8'	10.00
(1-1½")		

DWARF APPLES

Baldwin-red, late

Delicious-yellow

CI(10)	11/16"	2.00
--------	--------	------

CI(10)	11/16"	5.00
SG(1)	4½-5'	5.00
SG(2)	6'	6.00

Gravenstein-red striped

SG(1)		3.00
E(2)SG(3)	5-6'	3.50
E(1)	6-7'	5.00

Delicious-red

CI(10)	11/16"	5.00
--------	--------	------

Macoun-dark red with whitish flesh, late McIntosh type.

B3(1)	6-7'	10.00
-------	------	-------

McIntosh-striped red

B3(2)SG(2)	4-5'	6.00
B#(3)	5-6'	7.50
B3(1)	6-7'	10.00
B3(4)	7-8'	15.00

McIntosh-striped red

CI(20)	11/16"	2.50
B3(4)	4-5'	3.50
B3(2)SG(2)	5-6'	3.50

Northern Spy

SG(2)baskets	4-4½'	5.00
--------------	-------	------

Red Astrachan-late July to Aug. dark red, juicy, rather acid

B3(1)	5-6'
SG(2)	
E(2)SG(2)	6-7'

5-N-1-5 different varieties grafted on one stock.

SG(2)	5-6'	5.50
-------	------	------

Northern Spy -red & yellow striped, winter

SG(5)	5-6'	3.50
-------	------	------

Roxbury Russett-old fashioned russett

B3(1)	2-2½"	15.00
-------	-------	-------

Cross Pollination-apples

Baldwin and R.I. Greening are self fertile. If any other variety is wanted, use one of the following as pollinator:

Cortland
Delicious
McIntosh
Red Astrachan
Yellow Transparent

Must have 2 of the above varieties to get fruit set.

APRICOTS

Hungarian

B3(9) 5-6" 6.00

BLUEBERRIES

Jersey-late, large berries

SG(20) 6" cans 2.50
2-3"

Rubel-mid season

SG(11) 6" cans 2.50

Concord-mid season, large berries

SG(11) 6" cans 2.50

Hybrid-no name

E(16) 2½-3" 4.00

CHERRIES

Sweet

Napoleon-large, yellow, pink-tinged cherry; sweet mid-season.

CI(10) 11/16" 3.75
B3(5) 5-6" 6.75
B3(4) 6-7" 7.50
B3(1) 7-8" 8.00
B3(1) 8-9" 9.00

Black Tartarian-purple, black June

CI(30) 11/16" 3.75

Windsor-dark red, sweet, early
CI(10) 11/16" 3.75
Sour

Montmorency-red, sour, July

B3(6) 4-5" 5.00
B3(4) 5-6" 6.00
B3(2) 6-7" 7.00

Cross Pollination-Cherries
All sweet cherries are self sterile. Always use a Black

Tartarian as pollinator with any sweet cherry. Windsor may be used. Sour cherries are self fertile.

GRAPES

Agawam-red

Fl5(5) 8" cans 1.00

Catawba-red

Fl5(11) 8" cans 1.00

Concord-blue

SG(7) 6" pots 1.00

Fredonia-black

Fl5(30) 8" cans 1.00

PEACHES

Carmen

B3(1) 1-1½" 5.00
B3(5) 2-2½" 10.00

Belle of Georgia-Sept. white

CI(10) 9/16" 2.00

Elberta-orange, yellow

CI(20) 9/16" 2.00

Golden Jubilee-yellow, July

CI(10) 9/16" 2.00

J.H.Hale-yellow, Sept.

CI(10) 9/16" 2.00

Red Haven-yellow, August

B3(1) 8-9" 15.00

Cross Pollination-Peaches

Almost all are self fertile. Use another variety with J.H. Hale or Jhne Elberta.

PEARS

-38-

<u>Bartlett</u>			
CI(10)	11/16"	2.50	
<u>Clapps Favorite-large yellow</u>			
CI(10)	11/16"	2.50	
<u>Keiffer-yellow with red cheek</u>			
Oct.			
SG(3)	3/4" 5-6'	3.50	
<u>Seckel-small bronze, Sept.</u>			
CI(10)	11/16"	2.50	
SG(1)	3/4" 5-6'	3.50	
W(4)	1-1 1/2" 8-10'	15.00	
<u>Sheldon-Russett</u>			
SG(8)	3/4" 5-6'	3.50	

DWARF PEARS

<u>Bartlett</u>			
CI(10)	11/16"	4.00	
SG(1)	4'	5.00	

Clapps Favorite

CI(10)	11/16"	4.00	
SG(6)	5-6'	5.00	

Duchess

SG(4)	4-4 1/2'	5.00	
-------	----------	------	--

Seckel

SG(6)	3 1/2-4'	4.00	
-------	----------	------	--

Cross Pollination-Pears

Plant 2 varieties to get fruit set, except for Duchess, Seckel and Beurre Bosc, which are self fertile. Bartlett and Seckel do not cross pollinate. Must use some other variety with Bartlett.

PLUMS

Abundance-early large, pink-red fruit changing to darker red; yellow flesh; very juicy sweet and tender; hardy and

productive.

CI(10)	11/16"	3.75
B3(3)	5-6'	5.00

Burbank-large deep red, mid Aug.

B3(3)	4-5'	3.50
-------	------	------

Stanley Prune (Italian Prune)
large dark blue, early Sept.

Cross Pollinations-Plums

German prune and Italian prune are self fertile. Use 2 varieties of everything else. Abundance and Burbank are two good ones to use together.

ORANGE QUINCE

B4(9)	4-5'	5.00
B3(1)	5-6'	6.00

RASPBERRIESCumberland-black raspberry

SG(58)	6"can	.50
--------	-------	-----

Latham-large deep red fruit

SG(754)	6"cans	.50
---------	--------	-----

STRAWBERRIESEverbearing

CI(300) Mastodon..	.10
CI(300) Streamliner	.10

Standard varieties

CI(250) Premier-early	.05
CI(25) Pocahontas-early	.05

RHUBARB

CI(25) Chipman's Canada Red #1 divisions	1.50
--	------

ASPARAGUS

CI(100) Martha Wash. 3yr. #1	.15
------------------------------	-----

ENGLISH WALNUTS

B3(1)	2 1/2-3"	25.00
-------	----------	-------

2600 ALBANY AVENUE

WEST HARTFORD 7, CONN.

TEL:ADams 2-0131

THE PETER CASCIO NURSERY

1958 POTTED ROSE LIST--NO. 1 ROSES

Dormant prices until March 15th-50¢ less per Rose

Roses listed Each	Per 3 or more same variety	Roses listed Each	Per 3 or more same variety
2.00.....	1.80	3.00.....	2.70
2.25.....	2.05	3.25.....	2.90
2.50.....	2.25	3.50.....	3.15
2.75.....	2.50		

 MINIATURE ROSES-Tom Thumb-white, pink and red.....2.00

HYBRID TEA ROSES

<u>Red</u>	
Charlotte Armstrong(Pat) lt..	2.75
Christopher Stone-med.....	2.00
Chrysler Imperial(Pat).....	3.00
Crimson Glory-dark.....	2.00
Etoile de Hollande-med.....	2.00
Mme.Henri Guillot(Pat)blend..	2.50
New Yorker (Pat)med.....	2.75
Nocturne(Pat)dark.....	2.75
Red Radiance-light.....	2.00
Tally-Ho..(Pat)light.....	2.75

<u>Pink</u>	
Confidence-blend.....	2.75
Countess Vandal-blend.....	2.00
Good News (Pat)-blend.....	2.50
Helen Traubel (Pat)blend.....	3.25
Kath.T.Marshall (Pat)med.....	2.25
LaJolla (Pat)blend.....	3.00
Love Song (Pat)blend.....	3.00
Pink Radiance-light.....	2.00
Picture-light.....	2.00
President Hoover-blend.....	2.00
Show Girl(Pat)med.....	2.75
The Doctor-med.....	2.00
Tiffany (Pat)blend.....	3.00

<u>Yellow</u>	
Burnaby.(Pat)-lt.....	3.00
Eclipse-med.....	2.00
Golden Masterpiece(Pat)med...	3.25
McGredy's Yellow-light.....	2.00
Peace.(Pat)blend.....	3.00
Sutter's Gold(Pat)blend.....	2.75

<u>White</u>	
K.A.Victoria.....	2.00
McGredy's Ivory.....	2.00
White Knight.....	3.50

<u>Apricot & Orange Blends</u>	
Mojave(Pat.....	3.25

FLORIBUNDA ROSES

<u>Red</u>	
Floradora-med.....	2.00
Fusilier-bright red.....	3.00
Improved Lafayette-deep....	2.00
Independence(Pat)med.....	2.25
Red Cap(Pat)med.....	2.50
Red Pinocchio(Pat)dark.....	2.25

<u>Pink</u>	
Betty Prior-(Pat)-med.....	2.00
Fashion(Pat)blend.....	2.50
Lillibet-lt.....	2.50
Pink Bountiful(Pat)blend...	2.25
Pinocchio(Pat)med.....	2.25
Vogue(Pat)blend.....	2.50
Circus(Pat) <u>Yellow</u> blend..	3.00
Gold Cup-golden yel.....	3.00
Goldilocks(Pat)-med.....	2.25
Golden Fleece(Pat)lt.....	3.00

<u>Orange Blends</u>	
Jiminy Cricket(Pat).....	2.50
Spartan(Pat).....	3.25

<u>White</u>	
Dagmar Spaeth.....	2.00
White Bouquet(Pat).....	3.00

<u>GRANDIFLORA ROSES</u>	
Buccaneer-bb.yl.(Pat).....	3.00
Carrousel-Pat-deep red.....	2.50
Montezuma (Pat)salmon-orange	3.25
Queen Elizabeth(Pat)rose-pk	3.00
Roundelay-red(Pat).....	3.00

<u>CLIMBING ROSES</u>	
Blaze Improved-red.....	2.00
Cl.Crimson Glory(Pat)dkred.	3.00
Parade(Pat)rose-red.....	3.00
Paul's Scarlet-med red.....	2.00
Blossom Time(Pat)lt pk.....	3.00
Dr.J.H.Nicholas(Pat)medpk..	2.50
Dr.VanFleet-lt pk.....	2.00
New Dawn-lt pk.....	2.00
Golden Showers(Pat)bright..	3.25
Doublons-med yellow.....	2.00
Climbing Peace-yellow.....	2.75
City of York-white.....	2.00



EMPIRE FOLDER

Better folders for better files

304 1/3

Send your Order to the nearest "Y and E"
Representatives or to our Home Office

YAWMAN AND ERBE MFG. CO.

Main Factories and Executive Offices

ROCHESTER, N. Y.

Branches and Agents in all Principal Cities

